ANNUAL INDEX

References to Technical Papers and Technical Articles Published in Journal of Petroleum Technology and Technical Papers Published in Society of Petroleum Engineers Journal during 1965

A

ACCREDITATION: ECPD amidst pressures and crosscurrents, (Tech. Art.) JPT June, 685

ACIDIZING: asphaltene sludges: formation, effect and prevention during stimulation treatments, (Tech. Art.) JPT Sept., 1023

hydrofluoric acid stimulation of sandstone reservoirs, JPT Feb., 215

ACOUSTIC VELOCITY LOGGING: formation pressures: estimation from shale properties, JPT June, 717

sonic logging and other acoustic measurements, a new approach, (Tech. Art.) JPT Mar., 282

ACQUISITION: strategy for sealed bidding, (Tech. Art.) JPT Sept., 1033

ADDITIVES: friction-reducing: method to minimize cost of pumping fluids, (Tech. Art.) JPT June, 641

propping, radioactive: continuous multistage fracturing technique, (Tech. Art.) JPT June, 619

ADSORPTION: heptane-refined wax system: role in paraffin deposition, SPEJ Dec., 333

AGARWAL, R. G., et al: *The Importance of Water Influx in Gas Reservoirs*, JPT Nov., 1336

AIME: differences with ECPD on accreditation issue, (Tech. Art.) JPT June, 685

engineering societies library offers 60,000 volumes, (Tech. Art.) JPT Nov., 1304

mating season for engineering federations, (Tech. Art.) JPT July, 831

opportunity for service in rock mechanics, (Tech. Art.) JPT Feb., 176

value to SPE, (Tech. Art.) JPT Oct., 1196

AIR-GAS DRILLING: field results of percussion air drilling, (Tech. Art.) JPT Mar., 257

ALCOHOL FLOODING: computer models for simulating in porous media, SPEJ Mar., 89

ALGERIA: Hassi Messaoud field: practical solution to problem of asphaltene deposits, (Tech. Art.) JPT Apr., 387

AL-HUSSAINY, R., et al: *The Importance of Water Influx in Gas Reservoirs*, JPT Nov., 1336

ALLEN, L. S., et al: *Borehole Models for Nuclear Logging*, SPEJ June, 109

ANAHUAC FORMATION: *See* Louisiana

ANISOTROPIC RESERVOIRS: laminated sedimentary rocks, SPEJ Mar., 67

ANNULUS: narrow eccentric: axial laminar flow of non-Newtonian fluids, SPEJ Dec., 277

ANTITRUST: corporate mergers: has public policy strayed from reality? (Tech. Art.) JPT July, 797

mergers in oil industry, (Tech. Art.) JPT May, 531

reciprocal business dealings: new area of hazards, (Tech. Art.) JPT Aug., 907

AQUIFERS: influx: effect on p/z cumulative gas production curves, (Tech. Art.) JPT Mar., 287

natural water drive, laboratory models of oil reservoirs, SPEJ Mar., 25

pressure interference effects within, JPT Apr., 471

ARCHER, R. J.: *Mergers in the Oil Industry*, (Tech. Art.) JPT May, 531

ARPS, J. J.: *A Strategy for Sealed Bidding*, (Tech. Art.) JPT Sept., 1033

ARTHUR, K. B.: *Discussion on Pressure Drawdown Analysis, Variable Rate Case*, JPT Dec., 1461

Discussion on Unit Response Function from Varying Rate Data, JPT Dec., 1462

ASPHALTENE: Hassi Messaoud field, Algeria: practical solution to deposit problem, (Tech. Art.) JPT Apr., 387

AUTOMATION: metering emulsions for commingling with electronic cut computer, (Tech. Art.) JPT Nov., 1257

North Pembina Cardium Unit No. 1: data gathering and supervisory control system for production and operation, (Tech. Art.) JPT Nov., 1263

B

BABCOCK, C. D. and SONOSKY, J. M.: *Financing Thermal Operations*, (Tech. Art.) JPT Sept., 999

BACTERIA: study of formation plugging, JPT Feb., 201

BAGLEY, J. W., JR. and KUNKEL, G. C.: *Controlled Waterflooding, Means Queen Reservoir*, (Tech. Art.) JPT Dec., 1385

BAPTIST, O. C. and LAND, C. S.: *Effect of Hydration of Montmorillonite on the Permeability to Gas of Water-Sensitive Reservoir Rocks*, JPT Oct., 1213

BARITE: field recovery: scale-up and design, SPEJ June, 100

theory and laboratory results, SPEJ Mar., 6

BARNES, A. L.: *Results From a Thermal Recovery Test in a Watered-Out Reservoir*, JPT Nov., 1343

BASKINTON FIELD: *See* Louisiana

BATES, R. E., JR.: *Field Results of Percussion Air Drilling*, (Tech. Art.) JPT Mar., 257

BEARDEN, W. G., et al: *Control and Prevention of Inter-Zonal Flow*, JPT May, 579

BEARINGS: bit: effect of dynamic bit forces on life, SPEJ Dec., 272

BENTSEN, R. G. and NIELSEN, R. F.: *A Study of Plane, Radial Miscible Displacement in a Consolidated Porous Medium*, SPEJ Mar., 1

BERNARD, G. G., et al: *Effect of Foam on Trapped Gas Saturation and on Permeability of Porous Media to Water*, SPEJ Dec., 295

BERRY, S. C.: et al: *A Continuous Multistage Fracturing Technique*, (Tech. Art.) JPT June, 619

BIGELOW, H. L. and LEUTWYLER, K.: *Temperature Effects on Subsurface Equipment In Steam Injection Systems*, JPT Jan., 93

BIGGS, W. P., et al: *Automatic Log Computation at Wellsite—Formation Analysis Logs*, (Tech. Art.) JPT Jan., 11

BITS: experimental study: single tooth penetration into dry rock at confining pressures 0 to 5000 psi, SPEJ June, 117

rock: effect of dynamic bit forces on bearing life, SPEJ Dec., 272

jet-type: velocities, kinetic energy and shear in crossflow under, JPT Dec., 1443

single-blow tooth impact tests on saturated rocks under confining pressure, SPEJ Sept., 211

tooth penetration under simulated borehole conditions, JPT Dec., 1433

BLACKWELL, R. J. and KOONCE, K. T.: *Idealized Behavior of Solvent Banks in Stratified Reservoirs*, SPEJ Dec., 318

BOHANNON, D. L. and DONOHOE, C. W.: *Harmattan Elkton Field—A Case for Engineered Conservation and Management*, (Tech. Art.) JPT Oct., 1171

BOREHOLES: intensive heating: laboratory investigation of reduction of fracture pressure of rocks, SPEJ Sept., 225

models for nuclear logging, SPEJ June, 109

simulated conditions: bit-tooth penetration, JPT Dec., 1433

BORGAN, R. L., et al: *Pressure Maintenance by Bottom-Water Injection in a Massive San Andres Dolomite Reservoir*, (Tech. Art.) JPT Aug., 883

BOTTOM-HOLE PRESSURE: flowing; multiphase: practical application of calculated values, (Tech. Art.) JPT Dec., 1373

BOTTOM-WATER DRIVES: pressure maintenance by injection in massive San Andres dolomite reservoir, (Tech. Art.) Aug., 883

BOUNDED RESERVOIRS: average pressure from build-up surveys, JPT Aug., 955

BOWMAN, C. H.: *A Two-Spot Combustion Recovery Project,* (Tech. Art.) JPT Sept., 994

BOWMAN, C. H., et al: *Recent Correlations of Hydrocarbon Properties With Composition,* JPT Sept., 1105

BRADFORD CRUDE: *See* Pennsylvania

BRAY, B. G., et al: *Economics of Contained Nuclear Explosions Applied to Petroleum Reservoir Stimulation,* (Tech. Art.) JPT Oct., 1145

BROWN, K. E.: *Superior Teaching,* (Tech. Art.) JPT Mar., 263

BROWN, K. E. and EATON, B. A.: *A Joint Industry-University Research Project,* (Tech. Art.) JPT Feb., 170

BROWN, K. E. and HAGEDORN, A. R.: *Experimental Study of Pressure Gradients Occurring During Continuous Two-Phase Flow in Small-Diameter Vertical Conduits,* JPT Apr., 475

BRUNS, J. R., et al: *The Effect of Water Influx on p/z—Cumulative Gas Production Curves,* (Tech. Art.) JPT Mar., 287

BUBBLE POINT: correlation with temperature, composition and characteristics of C_{7+}, JPT Sept., 1105

BURDYN, R. F.: *A New Device for Field Recovery of Barite From Drilling Mud: I. Theory and Laboratory Results,* SPEJ Mar., 6

BURDYN, R. F., et al: *A New Device for Field Recovery of Barite: II. Scale-Up and Design,* SPEJ June, 100

BURNS, W. C.: *Water Treatment for Once-Through Steam Generators,* (Tech. Art.) JPT Apr., 417

C

CALDWELL, R. L., et al: *Borehole Models for Nuclear Logging,* SPEJ June, 109

CALHOUN, J. C., JR.: *The Value of AIME to SPE,* (Tech. Art.) JPT Oct., 1196

CALIFORNIA: financing thermal operations, (Tech. Art.) JPT Sept., 999

Kern River field: case history of steam soaking, (Tech. Art.) JPT Sept., 989

Wilmington field: case history of successful flank well curtailment program in a peripheral water flood, (Tech. Art.) JPT Oct., 1153

CAMPBELL, A. W., et al.: *Gravity Segregation in a Propane Slug — Miscible Displacement Project, Baskinton Field, Louisiana,* (Tech. Art.) JPT June, 661

CAMPBELL, J. M. and SAREM, A. M.: *Prediction of the Density of Two-Phase Hydrocarbon Systems Particularly Near the Critical Region,* SPEJ Mar., 78

CANADA: Harmattan Elkton field: gas-cap cycling, a case for engineered conservation and management, (Tech. Art.) JPT Oct., 1171

Pembina field: North Cardium Unit No. 1, automatic data gathering and supervisory control system for production and operation, (Tech. Art.) JPT Nov., 1263

CANTRELL, R. C., et al.: *Production Logging — The Key to Optimum Well Performance,* (Tech. Art.) JPT Feb., 137

CAPILLARY PRESSURE: porous materials, SPEJ Mar., 15

porous media: relation to wettability, SPEJ Sept., 259

CARBON DIOXIDE: and crude oil systems: generalized correlations for predicting solubility, swelling and viscosity behavior, JPT Jan., 102

waterflood: performance of Domes unit, first stage, (Tech. Art.) JPT Dec., 1379

well stimulation fluids: improvement by including gas phase, (Tech. Art.) JPT July, 768

CAREERS: executive chairs for engineers, (Tech. Art.) JPT Mar., 254

CASING: cement bond: control and prevention of inter-zonal flow, JPT May, 579

CASSINGHAM, R. W., et al: *An Efficient Gas Displacement Project — Raleigh Field, Mississippi,* (Tech. Art.) JPT May, 509

CAUDLE, B. H. and SILBERBERG, I. H.: *Laboratory Models of Oil Reservoirs Produced By Natural Water Drive,* SPEJ Mar., 25

CEMENT: oil well: strength at down-hole pressure-temperature conditions, SPEJ Dec., 341

CEMENTING: control and prevention of inter-zonal flow, JPT May, 579

CENTRIFUGE: field recovery of barite: scale-up and design, SPEJ June, 100

theory and laboratory results, SPEJ Mar., 6

CHEATHAM, J. B., JR. and GNIRK, P. F.: *An Experimental Study of Single Bit-Tooth Penetration Into Dry Rock at Confining Pressures 0 to 5000 psi,* SPEJ June, 117

CHENEVERT, M. E. and GATLIN, C.: *Mechanical Anisotropics of Laminated Sedimentary Rocks,* SPEJ Mar., 67

CLARK, G. A., et al.: *The Fry In Situ Combustion Test—Field Operations and Performance,* JPT Mar., 343 and 348

CLARK, K. K. and SOMERTON, W. H.: *Laboratory Investigation of Reduction of Fracture Pressures of Rocks by Intensive Borehole Heating,* SPEJ Sept., 225

CLAYS: drilling fluids: effect of type of solid on oil and water muds at high temperature, JPT June, 707

montmorillonite: effect of hydration on permeability to gas of water-sensitive reservoir rocks, JPT Oct., 1213

permeability reduction through changes in pH and salinity, JPT Dec., 1449

COATING: protective: cement-lined tubing, engineered approach, (Tech. Art.) JPT June, 626

COCKFIELD FORMATION: *See* Texas

COMPLETION PRACTICE: *See* Well Completion

COMPOSITION: chemical: improved method for calculating water resistivities, (Tech. Art.) JPT Dec., 1396

correlations with hydrocarbon properties, JPT Sept., 1105

phase: calculation for lean—or enriched—gas drive, SPEJ Sept., 239

COMPRESSION: shear failure of rock, SPEJ June, 167

COMPUTER: digital: automatic log computation at wellsite, (Tech. Art.) JPT Jan., 11

models for simulating alcohol displacement in porous media, SPEJ Mar., 89

practical application to economic analysis of producing properties, (Tech. Art.) JPT Feb., 145

electronic: integration of partial differential equation, transient radial flow of gas-condensate fluids in porous structures, SPEJ June, 141

electronic cut: metering emulsions for commingling, (Tech. Art.) JPT Nov., 1257

IBM 704: heat losses during flow of steam down a wellbore, JPT July, 845

IBM 1620 and IBM 7090-1401: numerical method for computing recovery of oil by hot water injection in a radial system, SPEJ June, 131

IBM 7040: research on interpretation of pressure measurements, SPEJ Dec., 281

IBM 7094: use in mathematical model of thermal oil recovery in linear systems, SPEJ Sept., 196

use in numerical solution of two-phase flow of volatile hydrocarbons, SPEJ Mar., 37

program for prediction of phase behavior generated by enriched-gas-drive process, SPEJ June, 160

CONDENSATES: depletion-performance correlation, JPT July, 852

Saharian Hassi R'Mel field: two-phase flow, SPEJ Mar., 37

transient radial flow: integration of partial differential of fluids in porous structures, SPEJ June, 141

twenty-year look at Free World requirements, (Tech. Art.) JPT Nov., 1251

CONDUCTIVITY: thermal: thermoelectric device for measuring rock, SPEJ June, 113

CONSERVATION: Harmattan Elkton field, Canada: gas-cap cycling, (Tech. Art.) JPT Oct., 1171

progress and, (Tech. Art.) JPT July, 759

CONTINUING EDUCATION: engineers: key to minimizing obsolescence, (Tech. Art.) JPT Apr., 405

reservoir engineering: Dallas completes refresher course, (Tech. Art.) JPT Oct., 1195

CORDELL, J. C. and EBERT, C. K.: *A Case History — Comparison of Predicted and Actual Performance of a Reservoir Producing Volatile Crude Oil,* (Tech. Art.) JPT Nov., 1291

CORES: Berea sandstone: considerations in recovery of Bradford crude by composite solvent slugs, SPEJ Mar., 45

reduction of fracture pressures of rocks by intensive borehole heating, laboratory investigation, SPEJ Sept., 225

study of formation plugging with bacteria, JPT Feb., 201

Venezuela: gas-oil relative permeability ratio correlation from laboratory data, JPT Sept., 1111

CORNELIUS, A. J. and SOBOCINSKI, D. P.: *A Correlation for Predicting Water Coning Time*, JPT May, 594

CORRELATIONS: equilibrium constants with composition parameter, SPEJ Sept., 239

gas-condensate reservoir fluids: depletion-performance, JPT July, 852

gas-oil relative permeability ratio from laboratory data, JPT Sept., 1111

heat loss and hot water point location as function of injection rate and pressure in case of injecting saturated steam, JPT July, 845

hydrocarbon properties with composition, JPT Sept., 1105

measurement of gas by orifice meter, effect of entrained liquid, (Tech. Art.) JPT June, 657

predicting solubility, swelling and viscosity behavior of CO_2-crude oil systems, JPT Jan., 102

SP log and active internal electro-chemical corrosion, (Tech. Art.) JPT Sept., 1029

water coning time prediction, JPT May, 594

CORROSION: control: applying instantaneous corrosion rate measurements in waterflooding, (Tech. Art.) JPT Mar., 269

engineered approach to cement-lined tubing, (Tech. Art.) JPT June, 626

detection: application of SP curves, (Tech. Art.) JPT Sept., 1029

field evaluation of engineered inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57

Hastings field, Texas: ten-year review of mitigation, (Tech. Art.) JPT Aug., 892

SACROC unit: desorption of oxygen from water using natural gas for countercurrent stripping, (Tech. Art.) JPT May, 515

COSTS: natural gas, (Tech. Art.) JPT Feb., 133

COVINGTON, R. E.: *Some Possible Applications of Thermal Recovery in Utah*, (Tech. Art.) JPT Nov., 1277

CRAIG, F. F., JR.: *Laboratory Model Study of Single Five-Spot and Single Injection-Well Pilot Waterflooding*, JPT Dec., 1454

CRAWFORD, H. R., et al: *A Method to Minimize the Cost of Pumping Fluids Containing Friction-Reducing Additives*, (Tech. Art.) JPT June, 641

CRAWFORD, P. B. and TALASH, A. W.: *An Improved Method for Calculating Water Resistivities From Chemical Analyses*, (Tech. Art.) JPT Dec., 1396

CRITICAL PROPERTIES: density: prediction for two-phase hydrocarbon systems, SPEJ Mar., 78

CROSSFLOW: interbedding of shale breaks and reservoir heterogeneities, JPT Oct., 1223

miscible displacement: mechanics of viscous fingering, SPEJ Dec., 301

stratified reservoir: effects during idealized displacement process, SPEJ Sept., 229

under three-cone bits: velocities, kinetic energy and shear, JPT Dec., 1443

CROWE, C. W., et al: *Formation, Effect and Prevention of Asphaltene Sludges During Stimulation Treatments*, (Tech. Art.) JPT Sept., 1023

CROWNOVER, A. N., et al: *Recent Correlations of Hydrocarbon Properties With Composition*, JPT Sept., 1105

CRUDE OIL: and CO_2 systems: generalized correlations for predicting solubility, swelling and viscosity behavior, JPT Jan., 102

twenty-year look at Free World requirements, (Tech. Art.) JPT Nov., 1251

United States: producing capacity, measure of industry efficiency, (Tech. Art.) JPT Apr., 392

CYCLING: Harmattan Elkton field, Canada: a case for engineered conservation and management, (Tech. Art.) JPT Oct., 1171

D

DARLING, D. W. and RADZIMOVSKY, E. I.: *Effect of Dynamic Bit Forces on Bit Bearing Life*, SPEJ Dec., 272

DARLEY, H. C. H.: *Designing Fast Drilling Fluids*, JPT Apr., 465

DARST CREEK FIELD: *See* Texas

DATA: gathering; automatic: for production and operation in North Pembina Cardium Unit No. 1, Canada, (Tech. Art.) JPT Nov., 1263

DEAN, G. W., et al: *Thermal Alteration of Sandstones*, JPT May, 589

DELAWARE-CHILDERS FIELD: *See* Oklahoma

DELIVERABILITY: higher: proven gas-well completion technique, (Tech. Art.) JPT June, 647

DENHAM, R. R.: *Peripheral Pattern Waterflood Performance, Sholem Alechem Fault Block "E" Unit*, (Tech. Art.) JPT May, 537

DENSITY: two-phase hydrocarbons: prediction particularly near the critical region, SPEJ Mar., 78

DESIGN: device for field recovery of barite, SPEJ June, 100

drilling fluids, fast, JPT Apr., 465

fracture, horizontal: based on propped fracture area, JPT June, 723

generators: once-through steam, review, (Tech. Art.) JPT Apr., 409

DEVELOPMENT: engineers for executive chairs, (Tech. Art.) JPT Mar., 254

DEW, J. N., et al: *Economics of Contained Nuclear Explosions Applied to Petroleum Reservoir Stimulation*, (Tech. Art.) JPT Oct., 1145

DIEBOLD, J., et al: *A Proven Gas-Well Completion Technique for Higher Deliverability*, (Tech. Art.) JPT June, 647

DIETZ, D. N.: *Determination of Average Reservoir Pressure From Build-Up Surveys*, JPT Aug., 955

DIFFUSION: miscible displacement: mechanics of viscous fingering, SPEJ Dec., 301

DISPERSION: miscible displacement: mechanics of viscous fingering, SPEJ Dec., 301

DISPLACEMENT EFFICIENCY: gas reservoirs: water influx, JPT Nov., 1336

DISPLACEMENT MECHANISM: *See* also Miscible Displacement

idealized: crossflow effects in stratified reservoir, SPEJ Sept., 229

DISSOLVED-GAS DRIVE: *See* Solution—Gas Drive

DIXON, B. P. and NEWTON, L. E., JR.: *Reinjection of Large Volumes of Produced Water in Secondary Operations*, (Tech. Art.) JPT July, 781

DOLOMITE: massive San Andres reservoir: pressure maintenance by bottom-water injection, (Tech. Art.) JPT Aug., 883

Morrow field, Ohio: Trempealeau reservoir performance, solution-gas drive, (Tech. Art.) JPT Dec., 1391

DOMES UNIT: *See* Oklahoma

DONOHOE, C. W. and BOHANNON, D. L.: *Harmattan Elkton Field—A Case for Engineered Conservation and Management*, (Tech. Art.) JPT Oct., 1171

DRANCHUK, P. M.: *The Shortage of Petroleum Engineers—Are We Solving the Problem?*, (Tech. Art.) JPT July, 790

DRAWDOWN ANALYSES: unit response function from varying-rate data, JPT Aug., 965; discussion, JPT Dec., 1462

variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461

DRAWDOWN TESTS: gas wells: non-Darcy flow and wellbore storage effects, JPT Feb., 223

DRILLING: air, percussion: field results, (Tech. Art.) JPT Mar., 257

bit: bearing life; effect of dynamic bit forces, SPEJ Dec., 272

single-blow tooth impact tests on saturated rocks under confining pressure, SPEJ Sept., 211

bit-tooth penetration under simulated borehole conditions, JPT Dec., 1433

experimental study: single bit-tooth penetration into dry rock at confining pressures 0 to 5000 psi, SPEJ June, 117

hardness measurements: evaluation of Rehbinder-Kuznetsov pendulum technique, SPEJ June, 177

mechanical anisotropies of laminated sedimentary rocks, SPEJ Mar., 67

shear failure of rock under compression, SPEJ June, 167
velocities, kinetic energy and shear in crossflow under three-cone bits, JPT Dec., 1443
with explosive: experimental tests of a method, SPEJ June, 153
DRILLING FLUIDS: designing, JPT Apr., 465
field recovery of barite: theory and laboratory results, SPEJ Mar., 6
scale-up and design, separator, SPEJ June, 100
high-temperature: factors involved, JPT June, 707
DRILL-STEM TESTS: new system of tools for better control and interpretation, JPT Feb., 207
DROEMER, D. R.: *Metering Emulsions for Commingling With the Electronic Cut Computer*, (Tech. Art.) JPT Nov., 1257
DUCKER, W. L.: *The Validity of Knowledge in Science and Engineering*, (Tech. Art.) JPT May, 521
DYKSTRA, H. and MUELLER, T. D.: *Calculation of Phase Compositions and Properties for Lean- or Enriched-Gas Drive*, SPEJ Sept., 239

E

EAST TEXAS FIELD: *See* Texas
EATON, B. A. and BROWN, K. E.: *A Joint Industry-University Research Project*, (Tech. Art.) JPT Feb., 170
EATON, B. A. and JACOBY, R. H.: *A New Depletion-Performance Correlation for Gas-Condensate Reservoir Fluids*, JPT July, 852
EATON, F. M., et al: *Automatic Log Computation at Wellsite—Formation Analysis Logs*, (Tech. Art.) JPT Jan., 11
EBERT, C. K. and CORDELL, J. C.: *A Case History—Comparison of Predicted and Actual Performance of a Reservoir Producing Volatile Crude Oil*, (Tech. Art.) JPT Nov., 1291
ECONOMICS: appreciation of equity concepts and its relationship to multiple rates of return, (Tech. Art.) JPT Feb., 159
contained nuclear explosions applied to petroleum reservoir stimulation, (Tech. Art.) JPT Oct., 1145
corporate mergers: has public policy strayed from reality? (Tech. Art.) JPT July, 797
corrosion mitigation in Hastings field, ten-year review, (Tech. Art.) JPT Aug., 892
cost of natural gas, (Tech. Art.) JPT Feb., 133
difference between nominal and effective interest tables and rates of return, (Tech. Art.) JPT Aug., 911; discussion, JPT Dec., 1399
financing thermal operations, (Tech. Art.) JPT Sept., 999
practical application of digital computers to analysis of producing properties, (Tech. Art.) JPT Feb., 145
shale oil: recovering with nuclear explosives, (Tech. Art.) JPT Aug., 877
significance of oil company financial statements, (Tech. Art.) JPT Oct., 1179
strategy for sealed bidding, (Tech. Art.) JPT Sept., 1033
EDUCATION: *See* Engineering Education
EFFICIENCY: industry: U.S. crude oil producing capacity, a measure of, (Tech. Art.) JPT Apr., 392
EILERTS, C. K., et al: *Integration of Partial Differential Equation for Transient Radial Flow of Gas-Condensate Fluids in Porous Structures*, SPEJ June, 141
EMPLOYMENT: outlook for engineers in mining, metals and petroleum, (Tech. Art.) JPT Jan., 73
EMULSIONS: metering for commingling with electronic cut computer, (Tech. Art.) JPT Nov., 1257
water-in-oil: control using electrical stability potential, JPT Oct., 1229
ENERGY: comparative requirements of oilfield pumping units, conventional vs front-mounted, (Tech. Art.) JPT Jan., 26
from oil and from the nucleus, (Tech. Art.) JPT May, 505
petroleum: twenty-year look at Free World requirements, a 300 billion barrel challenge, (Tech. Art.) JPT Nov., 1251
ENGINEERING: federations: mating season for, (Tech. Art.) JPT July, 831
natural gas and petroleum reservoir: standard letter symbols, JPT Dec., 1463
profession gains new prestige with foundation of National Academy, (Tech. Art.) JPT Jan., 63
reservoir: Dallas completes refresher course, (Tech. Art.) JPT Oct., 1195
what is it? (Tech. Art.) JPT Jan., 19
societies library offers 60,000 volumes relating to AIME subjects, (Tech. Art.) JPT Nov., 1304
validity of knowledge, (Tech. Art.) JPT May, 521
ENGINEERING EDUCATION: continuing education: the key to minimizing obsolescence, (Tech. Art.) JPT Apr., 405
how management keeps abreast of new technology, (Tech. Art.) JPT Feb., 155
joint industry-university research project, (Tech. Art.) JPT Feb., 170
petroleum engineer shortage: are we solving problem? (Tech. Art.) JPT July, 790
petroleum: first half-century, (Tech. Art.) JPT Apr., 377
superior teaching, (Tech. Art.) JPT Mar., 263
ENGINEERS: employment outlook in mining, metals and petroleum, (Tech. Art.) JPT Jan., 73
keeping abreast of new technology, (Tech. Art.) JPT Feb., 155
management development, (Tech. Art.) JPT Mar., 254
professional: dilemma of licensing program, (Tech. Art.) JPT July, 755
ENGINEERS' COUNCIL FOR PROFESSIONAL DEVELOPMENT: licensing program: dilemma of professional engineers, (Tech. Art.) JPT July, 755
mating season for engineering federations, (Tech. Art.) JPT July, 831
pressures and crosscurrents within, (Tech. Art.) JPT June, 685.
ENGINEERS JOINT COUNCIL: employment survey for engineers in mining, metals and petroleum, (Tech. Art.) JPT Jan., 73
licensing program: dilemma of professional engineers, (Tech. Art.) JPT July, 755
mating season for engineering federations, (Tech. Art.) JPT July, 831
ENRICHED-GAS DRIVE: calculation of phase compositions and properties, SPEJ Sept., 239
phase behavior generated, prediction, SPEJ June, 160
EPISTEMOLOGY: validity of knowledge in science and engineering, (Tech. Art.) JPT May, 521
EQUILIBRIUM: mass transfer between phases in a porous medium, SPEJ Mar., 51
vapor-liquid: using phase surfaces to describe condensing-gas-drive experiments, SPEJ Sept., 184
EQUIPMENT: automating remote gas wells, compressors, and processing plants, (Tech. Art.) JPT Jan., 45
comparative energy requirements of oilfield pumping units, conventional vs front-mounted, (Tech. Art.) JPT Jan., 26
continuous-string light workover unit, (Tech. Art.) JPT Jan., 39
drilling: percussion air, field results, (Tech. Art.) JPT Mar., 257
Fann emulsion tester: emulsion control using electrical stability potential, JPT Oct., 1229
generators: once-through steam, review, (Tech. Art.) JPT Apr., 409
once-through steam, water treatment for, (Tech. Art.) JPT Apr., 417
Kern River field, California: case history of steam soaking, (Tech. Art.) JPT Sept., 989
measuring shear failure of rock under compression, SPEJ June, 167
mud separator: new device for field recovery of barite, scale-up and design, SPEJ June, 100
new device for field recovery of barite from drilling mud, theory and laboratory results, SPEJ Mar., 6
new system of tools for better control and interpretation of drill-stem tests, JPT Feb., 207
production logging: key to optimum well performance, (Tech. Art.) JPT Feb., 137
subsurface: temperature effects in steam injection systems, JPT Jan., 93
thermoelectric device: measuring thermal conductivity of rock, SPEJ June, 113

water flood: cement-lined tubing, engineered approach, (Tech. Art.) JPT June, 626
EQUITY CONCEPT: relationship to multiple rates of return, (Tech. Art.) JPT Feb., 159
ESSLEY, P. L., JR.: *The Difference Between Normal and Effective Interest Tables and Nominal and Effective Rates of Return*, (Tech. Art.) JPT Aug., 911; discussion, JPT Dec., 1399
What Is Reservoir Engineering? (Tech. Art.) JPT Jan., 19
EVALUATION: *See also* Formation Evaluation
appreciation of equity concept and its relationship to multiple rates of return, (Tech. Art.) JPT Feb., 159
average reservoir pressure from build-up surveys, JPT Aug., 955
bit bearing life: effect of dynamic bit forces, SPEJ Dec., 272
borehole models for nuclear logging, SPEJ June, 109
controlled waterflooding: Means Queen reservoir, Texas, (Tech. Art.) JPT Dec., 1385
difference between nominal and effective interest tables and rates of return, (Tech. Art.) JPT Aug., 911; discussion, JPT Dec., 1399
drilling fluids: designing, JPT Apr., 465
emulsion control using electrical stability potential, JPT Oct., 1229
energy from oil and from the nucleus, (Tech. Art.) JPT May, 505
field: engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
formation pressures: from log-derived shale properties, JPT June, 717
generators: once-through steam, (Tech. Art.) JPT Apr., 409
interbedding of shale breaks and reservoir heterogeneities, JPT Oct., 1223
Marsal's extrapolation method for establishing oil recovery, JPT Jan., 107
practical application of digital computers to economic analysis of producing properties, (Tech. Art.) JPT Feb., 145
Rehbinder-Kuznetsov pendulum technique in hardness measurements, SPEJ June, 177
thermal operations, financing, (Tech. Art.) JPT Sept., 999
thermal recovery in Utah: some possible applications, (Tech. Art.) JPT Nov., 1277
tools for better control and interpretation of drill-stem tests, JPT Feb., 207
value of AIME to SPE, (Tech. Art.) JPT Oct., 1196

F

FANARITIS, J. P. and KIMMEL, J. D.: *Review of Once-Through Steam Generators*, (Tech. Art.) JPT Apr., 409
FAROUQ ALI, S. M. and STAHL, C. D.: *Computer Models for Simulating Alcohol Displacement in Porous Media*, SPEJ Mar., 89
FATT, I. and KHAN, A. M.: *A Thermoelectric Device for Measuring Thermal Conductivity of Rock*, SPEJ June, 113
FAULTS: distance to well: approximating from pressure build-up tests, (Tech. Art.) JPT July, 761
FEDERAL POWER COMMISSION: cost of natural gas, (Tech. Art.) JPT Feb., 133
FEDERAL TRADE COMMISSION: reciprocal business dealings: new area of antitrust hazards, (Tech. Art.) JPT Aug., 907
FENDER, J. E.: *Review of Foreign Production — 1964*, (Tech. Art.) JPT Sept., 1019
FETKOVICH, M. J., et al: *The Effect of Water Influx on p/z — Cumulative Gas Production Curves*, (Tech. Art.) JPT Mar., 287
FIELD CASE HISTORY: *See also* Field Tests
Baskinton field, Louisiana: gravity segregation in a propane slug-miscible displacement project, (Tech. Art.) JPT June, 661
Darst Creek field, Texas: oil recovery by imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
Fry area, Illinois: in situ combustion test, JPT Mar., 337, 343 and 348
Harmattan Elkton field, Canada: gas-cap cycling, a case for engineered conservation and management, (Tech. Art.) JPT Oct., 1171
Hastings field, Texas: ten-year review of corrosion mitigation, (Tech. Art.) JPT Aug., 892
Hilbig field: gas injection, thirty years of effective pressure maintenance, (Tech. Art.) JPT Mar., 279
Kern River field, California: steam soaking, (Tech. Art.) JPT Sept., 989
Means Queen field, Texas: controlled waterflooding, (Tech. Art.) JPT Dec., 1385
Morrow field, Ohio: Trempealeau reservoir performance, dissolved-gas drive, (Tech. Art.) JPT Dec., 1391
Raleigh field, Mississippi: efficient gas displacement project, (Tech. Art.) JPT May, 509
Salt Creek field, Texas: oil recovery by imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
Sholem Alechem field, fault block "E": peripheral pattern waterflood performance, (Tech. Art.) JPT May, 537
Smackover lime, Louisiana: comparison of predicted and actual performance of a volatile crude oil reservoir, (Tech. Art.) JPT Nov., 1291
Torchlight field, Wyoming: limited water drive in Tensleep reservoir, (Tech. Art.) JPT Oct., 1159
Waddell field: pressure maintenance by bottom-water injection in a massive San Andres dolomite reservoir, (Tech. Art.) JPT Aug., 883
Wilmington field, California: successful flank well curtailment program in a peripheral water flood, (Tech. Art.) JPT Oct., 1153
FIELD TESTS: *See also* Evaluation
cement-lined tubing: engineered approach, (Tech. Art.) JPT June, 626
comparative energy requirements of oilfield pumping units, conventional vs front-mounted, (Tech. Art.) JPT Jan., 26
corrosion detection: application of SP curves, (Tech. Art.) JPT Sept., 1029
drilling: percussion air, (Tech. Art.) JPT Mar., 257
emulsion control using electrical stability potential, JPT Oct., 1229
engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
Fry in situ combustion project, JPT Mar., 343
gas wells: non-Darcy flow and wellbore storage effects in build-up and drawdown, JPT Feb., 223
proven completion technique for higher deliverability, (Tech. Art.) JPT June, 647
Hassi Messaoud field: practical solution to problem of asphaltene deposits, (Tech. Art.) JPT Apr., 387
measuring oil content, lithology and porosity with high-energy neutron-induced spectral logging system, (Tech. Art.) JPT July, 801
oil recovery: high-temperature thermal stimulation techniques, (Tech. Art.) JPT Sept., 1007
imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
Oklahoma: miscible displacement in a controlled natural system, JPT Nov., 1329
pressure build-up: approximating well-to-fault distance, (Tech. Art.) JPT July, 761
production logging: key to optimum well performance, (Tech. Art.) JPT Feb., 137
stimulation: formation, effect and prevention of asphaltene sludges, (Tech. Art.) JPT Sept., 1023
thermal recovery in a watered-out reservoir, results, JPT Nov., 1343
unit response function from varying-rate data, JPT Aug., 965; discussion, JPT Dec., 1462
Venezuela, Eastern: two-spot combustion recovery project, (Tech. Art.) JPT Sept., 994
water flood, peripheral: successful flank well curtailment, (Tech. Art.) JPT Oct., 1153
well stimulation fluids: improvement by including gas phase, (Tech. Art.) JPT July, 768
FILTRATION: drilling fluids: designing fast, JPT Apr., 465
factors involved in high temperature, JPT June, 707
FINANCING: oil company statements, significance, (Tech. Art.) JPT Oct., 1179
thermal operations, JPT Sept., 999
FINGERING: miscible displacement; plane, radial: study in consolidated porous medium, SPEJ Mar., 1
viscous: mechanics in miscible systems, SPEJ Dec., 301
FLEMING SAND: *See* Louisiana
FLOCK, D. L. and RALEIGH, J. T.: *A Study of Formation Plugging With Bacteria*, JPT Feb., 201
FLOW TESTS: pressure drawdown analysis, variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461

varying-rate data: unit response function, JPT Aug., 965; discussion, JPT Dec., 1462
FLUID FLOW: analytical-numerical method in waterflooding predictions, SPEJ Sept., 247
average reservoir pressure from build-up surveys, JPT Aug., 955
axial laminar: non-Newtonian fluids in narrow eccentric annuli, SPEJ Dec., 277
capillary equilibrium in porous materials, SPEJ Mar., 15
condensates: integration of partial differential equation for transient radial flow in porous structures, SPEJ June, 141
considerations in recovery of Bradford crude by composite solvent slugs, SPEJ Mar., 45
inter-zonal: control and prevention, JPT May, 579
linear systems: mathematical model of thermal oil recovery, SPEJ Sept., 196
mass transfer between phases in a porous medium, a study of equilibrium, SPEJ Mar., 51
miscible displacement; plane, radial: study in consolidated porous medium, SPEJ Mar., 1
multiphase: practical application of calculated flowing bottom-hole pressures, (Tech. Art.) JPT Dec., 1373
non-Darcy: and wellbore storage effects in pressure build-up and drawdown of gas wells, JPT Feb., 223
orifice meter: effect of entrained liquid on measurement of gas, (Tech. Art.) JPT June, 657
pressure drawdown analysis: variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461
pumping fluids containing friction-reducing additives; method to minimize cost, (Tech. Art.) JPT June, 641
two-phase: continuous; experimental study of pressure gradients in small diameter vertical conduits, JPT Apr., 475
volatile hydrocarbons, SPEJ Mar., 37
unit response function from varying-rate data, JPT Aug., 965; discussion, JPT Dec., 1462
unsteady-state behavior of naturally fractured reservoirs, SPEJ Mar., 60
waterflood: predicting performance by graphical representation of porosity and permeability distribution, (Tech. Art.) JPT Nov., 1285
FLUID INJECTION: *See* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Alcohol, Solvent, and Water Flooding
FLUID PROPERTIES: phase behavior generated by enriched-gas-drive process; prediction, SPEJ June, 160
FLUXING AGENTS: role in thermal alteration of sandstones, JPT May, 585
FOAM: effect on trapped gas saturation and on permeability of porous media to water, SPEJ Dec., 295
FOREIGN OPERATIONS: production: review of 1964, (Tech. Art.) JPT Sept., 1019
twenty-year look at Free World requirements, a 300 billion barrel challenge, (Tech. Art.) JPT Nov., 1251
FORMATION EVALUATION: automatic log computation at wellsite, (Tech. Art.) JPT Jan., 11
production logging: key to optimum well performance, (Tech. Art.) JPT Feb., 137
sonic logging and other acoustic measurements, a new approach, (Tech. Art.) JPT Mar., 282
FORMATION FRACTURES: reduction of fracture pressures of rocks by intensive borehole heating, SPEJ Sept., 225
unsteady-state behavior, SPEJ Mar., 60
FORMATION FRACTURING: continuous multistage technique, (Tech. Art.) JPT June, 619
horizontal fracture design based on propped fracture area, JPT June, 723
pumping fluids containing friction-reducing additives; method to minimize cost, (Tech. Art.) JPT June, 641
FORRESTER, C. E. and SCOTT, J. O.: *Performance of Domes Unit Carbonated Waterflood — First Stage*, (Tech. Art.) JPT Dec., 1379
FOSHEE, W. C. and HURST, R. E.: *Improvement of Well Stimulation Fluids by Including a Gas Phase*, (Tech. Art.) JPT July, 768
FOURNIER, K. P.: *A Numerical Method for Computing Recovery of Oil by Hot Water Injection in a Radial System*, SPEJ June, 131
FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures
FRACTURES: *See* Formation Fractures
FRANK, J. R., et al: *Pressure Maintenance by Bottom-Water Injection in a Massive San Andres Dolomite Reservoir*, (Tech. Art.) JPT Aug., 883
FRICTION: reducing additives: method to minimize cost of pumping fluids, (Tech. Art.) JPT June, 641
FRIO SAND: *See* Louisiana
FRY AREA: *See* Illinois
FRYTERS, W. A. and HARRISON, G. R.: *Automatic Data Gathering and Supervisory Control System for Production and Operation in the North Pembina Cardium Unit No. 1*, (Tech. Art.) JPT Nov., 1263
FUELS: from oil and from nucleus, (Tech. Art.) JPT May, 505

G

GAITHER, O. D.: *A Ten-Year Review of Corrosion Mitigation in the Hastings Field*, (Tech. Art.) JPT Aug., 892
GARB, F. A. and GRUY, H. J.: *Practical Application of Digital Computers to Economic Analysis of Producing Properties*, (Tech. Art.) JPT Feb., 145
GARIES, D. F.: *Discussion on The Difference Between Nominal and Effective Interest Tables and Nominal and Effective Rates of Return*, (Tech. Art.) JPT Dec., 1399
GARRISON, W. H., JR. and PIERCE, R. L.: *Case History of a Successful Flank Well Curtailment Program in a Peripheral Water Flood*, (Tech. Art.) JPT Oct., 1153
GAS. *See also* Natural Gas
condensing drive experiments: using phase surfaces to describe, SPEJ Sept., 184
inert: use in improving well stimulation fluids, (Tech. Art.) JPT July, 768
lean or enriched drive: calculation of phase compositions and properties, SPEJ Sept., 239
measurement: by orifice meter; effect of entrained liquid, (Tech. Art.) JPT June, 657
permeability, relative: effect of hydration of montmorillonite on water-sensitive reservoir rocks, JPT Oct., 1213
GAS CONDENSATE: *See* Condensate
GAS INJECTION: Hilbig field: thirty years of effective pressure maintenance, (Tech. Art.) JPT Mar., 279
Raleigh field, Mississippi: efficient gas displacement project, (Tech. Art.) JPT May, 509
GAS LIFT: experimental study of pressure gradients occurring during continuous two-phase flow in small-diameter vertical conduits, JPT Apr., 475
multiphase flowing bottom-hole pressures, practical application of calculated values, (Tech. Art.) JPT Dec., 1373
GAS PRODUCTION: U. S.: review of 1964, (Tech. Art.) JPT Aug., 889
GAS RECOVERY: water influx in reservoirs, importance, JPT Nov., 1336
GAS RESERVOIRS: effect of water influx on p/z—cumulative gas production curves, (Tech. Art.) JPT Mar., 287
water influx: importance, JPT Nov., 1336
GAS SATURATION: trapped: effect of foam, SPEJ Dec., 295
GAS WELLS: completion: proven technique for higher deliverability, (Tech. Art.) JPT June, 647
non-Darcy flow and wellbore storage effects in pressure build-up and drawdown of gas wells, JPT Feb., 223
pressure drawdown analysis: variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461
GAS-CAP DRIVE: Harmattan Elkton field, Canada: a case for engineered conservation and management, (Tech. Art.) JPT Oct., 1171
GATLIN, C. and CHENEVERT, M. E.: *Mechanical Anisotropies of Laminated Sedimentary Rocks*, SPEJ Mar., 67
GENERATORS: steam: once-through, review, (Tech. Art.) JPT Apr., 409
once-through, water treatment for, (Tech. Art.) JPT Apr., 417
GEOLOGICAL STUDY: use in reservoir engineering, (Tech. Art.) JPT Jan., 19
GNIRK, P. F. and CHEATHAM, J. B., JR.: *An Experimental Study of Single Bit-Tooth Penetration Into Dry Rock at Confining Pressures of 0 to 5000 psi*, SPEJ June, 117
GOINS, W. C., JR., et al: *A Continuous Multistage Fracturing Technique*, (Tech. Art.) JPT June, 619

Gottfried, B. S.: *A Mathematical Model of Thermal Oil Recovery in Linear Systems*, SPEJ Sept., 196

Graue, D. J. and Simon, R.: *Generalized Correlations for Predicting Solubility, Swelling and Viscosity Behavior of CO_2-Crude Oil Systems*, JPT Jan., 102

Gravity drainage: Baskinton field, Louisiana: propane slug—miscible displacement project, (Tech. Art.) JPT June, 661

Gravity segregation: *See* Gravity Drainage

Gray, K. E.: *Approximating Well-to-Fault Distance from Pressure Build-Up Tests*, (Tech. Art.) JPT July, 761

Gray, K. E. and Podio, A.: *Single-Blow Bit-Tooth Impact Tests on Saturated Rocks Under Confining Pressure: I. Zero Pore Pressure*, SPEJ Sept., 211

Greenkorn, R. A., et al: *Miscible Displacement in a Controlled Natural System*, JPT Nov., 1329

Gruy, H. J. and Garb, F. A.: *Practical Application of Digital Computers to Economic Analysis of Producing Properties*, (Tech. Art.) JPT Feb., 145

Gruy, H. J. and McGonagill, F. E., Jr.: *Significance of Oil Company Financial Statements*, (Tech. Art.) JPT Oct., 1179

Gupta, V. S. and Somerton, W. H.: *Role of Fluxing Agents in Thermal Alteration of Sandstones*, JPT May, 585

H

Hagedorn, A. R. and Brown, K. E.: *Experimental Study of Pressure Gradients Occurring During Continuous Two-Phase Flow in Small-Diameter Vertical Conduits*, JPT Apr., 475

Handin, J.: *Strength of Oil Well Cements at Downhole Pressure-Temperature Conditions*, SPEJ Dec., 341

Hanson, H. R. and Kerver, J. K.: *Corrosion Inhibitor Squeeze Technique—Field Evaluation of Engineered Squeezes*, (Tech. Art.) JPT Jan., 50; discussion, 57

Hanson, W. E., Jr. and Slator, D. T.: *Continuous-String Light Workover Unit*, (Tech. Art.) JPT Jan., 39

Haring, R. E., et al: *Miscible Displacement in a Controlled Natural System*, JPT Nov., 1329

Harmattan Elkton field: *See* Canada

Harris, C. C. and Morrow, N. R.: *Capillary Equilibrium in Porous Materials*, SPEJ Mar., 15

Harrison, G. R. and Fryters, W. A.: *Automatic Data Gathering and Supervisory Control System for Production and Operation in the North Pembina Cardium Unit No. 1*, (Tech. Art.) JPT Nov., 1263

Hartman, H. L.: *Rock Mechanics—An Opportunity for Service by AIME*, (Tech. Art.) JPT Feb., 176

Haskett, C. E. and Tartera, M.: *A Practical Solution to the Problem of Asphaltene Deposits—Hassi Messaoud Field, Algeria*, (Tech. Art.) JPT Apr., 387

Hassi Messaoud field: *See* Algeria

Hassi R'Mel field: *See* Sahara

Hastings field: *See* Texas

Hawk, D. E., et al: *A New Device for Field Recovery of Barite: II. Scale-Up and Design*, SPEJ June, 100

Heat: borehole: laboratory investigation of reduction of fracture pressures of rocks, SPEJ Sept., 225

losses: during flow of steam down a wellbore, JPT July, 845

Heath, L. J.: *Variations in Permeability and Porosity of Synthetic Oil Reservoir Rock—Methods of Control*, SPEJ Dec., 329

Heins, R. W. and Street, N.: *An Evaluation of the Rehbinder-Kuznetsov Pendulum Technique in Hardness Measurements*, SPEJ June, 177

Hendrickson, A. R. and Smith, C. F.: *Hydrofluoric Acid Stimulation of Sandstone Reservoirs*, JPT Feb., 215

Hendrickson, A. R., et al: *Formation, Effect and Prevention of Asphaltene Sludges During Stimulation Treatments*, (Tech. Art.) JPT Sept., 1023

Heptane: refined wax system: effect of petroleum residua on paraffin deposition, SPEJ Dec., 333

Hester, C. T., et al: *Oil Recovery by Imbibition Water Flooding in the Austin and Buda Formations*, (Tech. Art.) JPT Aug., 919

Hewitt, C. H. and Morgan, J. T.: *The Fry In Situ Combustion Test—Reservoir Characteristics*, JPT Mar., 337

Hilbig field: *See* Texas

Hill, W. S.: *ECPD Amidst Pressures and Crosscurrents* (Tech. Art.) JPT June, 685

History: Permian Basin area: reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781

petroleum engineering education: first half-century, (Tech. Art.) JPT Apr., 377

Hoffman, R. N., et al: *Mechanics of Viscous Fingering in Miscible Systems*, SPEJ Dec., 301

Holm, L. W., et al: *Effect of Foam on Trapped Gas Saturation and on Permeability of Porous Media to Water*, SPEJ Dec., 295

Hooykaas, H.: *Appraisal of Marsal's Extrapolation Method for Establishing Oil Recovery*, JPT Jan., 107

Hottmann, C. E. and Johnson, R. K.: *Estimation of Formation Pressures from Log-Derived Shale Properties*, JPT June, 717

Howald, C. D. and Willingham, R. W.: *Case History of the Tensleep Reservoir, Torchlight Field, Wyoming*, (Tech. Art.) JPT Oct., 1159

Howard, G. C., et al: *Control and Prevention of Inter-Zonal Flow*, JPT May, 579

Howard-Glasscock field: *See* Texas

Hoyer, W. A. and Rumble, R. C.: *Field Experience in Measuring Oil Content, Lithology and Porosity with a High-Energy Neutron-Induced Spectral Logging System*, (Tech. Art.) JPT July, 801

Hughes, R. G. and Weintritt, D. J.: *Factors Involved in High-Temperature Drilling Fluids*, JPT June, 707

Huntington, R. L., et al: *The Effect of Entrained Liquid on the Measurement of Gas by an Orifice Meter*, (Tech. Art.) JPT June, 657

Hurdle, J. M., et al: *An Efficient Gas Displacement Project—Raleigh Field, Mississippi*, (Tech. Art.) JPT May, 509

Hurst, R. E. and Foshee, W. C.: *Improvement of Well Stimulation Fluids by Including a Gas Phase*, (Tech. Art.) JPT July, 768

Hydrocarbons: non-conventional sources: twenty-year look at Free World petroleum requirements, (Tech. Art.) JPT Nov., 1251

properties: recent correlations with composition, JPT Sept., 1105

two-phase: prediction of density particularly near the critical region, SPEJ Mar., 78

volatile: two-phase flow, SPEJ Mar., 37

Hydrofluoric acid: stimulation of sandstone reservoirs, JPT Feb., 215

I

Illinois: Fry in situ combustion test: reservoir characteristics, field operations and performance, JPT Mar., 337, 343 and 348

Imbibition: water flooding: oil recovery in Austin and Buda formations, (Tech. Art.) JPT Aug., 919

Income: interest tables and rates of return: difference between nominal and effective, (Tech. Art.) Aug., 911; discussion, JPT Dec., 1399

Inhibitors: corrosion: field evaluation of engineered squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57

Injection: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Alcohol, Solvent, and Water Flooding

Injection: continuous-string light workover unit for injecting chemicals or gases, (Tech. Art.) JPT Jan., 39

Injection well: single: laboratory model study of single five-spot pilot waterflood, JPT Dec., 1454

In situ combustion: *See* Thermal Recovery of Oil

Interest: tables: difference between nominal and effective, (Tech. Art.) JPT Aug., 911; discussion, JPT Dec., 1399

Interfaces: wettability as related to capillary action in porous media, SPEJ Sept., 259

Interference: pressure: effects within reservoirs and aquifers, JPT Apr., 471

reservoir: controlled waterflooding, Means Queen reservoir, Texas, (Tech. Art.) JPT Dec., 1385

Interpretation: drill-stem tests: new system of tools, JPT Feb., 207

research: pressure measurements, SPEJ Dec., 281

INVESTMENTS: appreciation of equity concept and its relationship to multiple rates of return, (Tech. Art.) JPT Feb., 159
practical application of digital computers to economic analysis of producing properties, (Tech. Art.) JPT Feb., 145
ION EXCHANGE: unit for water treatment for once-through steam generators, (Tech. Art.) JPT Apr., 417

J

JACOBS, W. L., et al: *Effect of Foam on Trapped Gas Saturation and on Permeability of Porous Media to Water*, SPEJ Dec., 295
JACOBY, R. H. and EATON, B. A.: *A New Depletion-Performance Correlation for Gas-Condensate Reservoir Fluids*, JPT July, 852
JACQUARD, P. and JAIN, C.: *Permeability Distribution From Field Pressure Data*, SPEJ Dec., 281
JAIN, C. and JACQUARD, P.: *Permeability Distribution From Field Pressure Data*, SPEJ Dec., 281
JARGON, J. R. and VAN POOLLEN, H. K.: *Unit Response Function From Varying-Rate Data*, JPT Aug., 965; discussion, JPT Dec., 1462
JESSEN, F. W. and PATTON, C. C.: *The Effect of Petroleum Residua on Paraffin Deposition From a Heptane-Refined Wax System*, SPEJ Dec., 333
JETS: mating season for engineering federations, (Tech. Art.) JPT July, 831
JOHNSON, C. R., et al: *Miscible Displacement in a Controlled Natural System*, JPT Nov., 1329
JOHNSON, J. P.: *Predicting Waterflood Performance by the Graphical Representation of Porosity and Permeability Distribution*, (Tech. Art.) JPT Nov., 1285
JOHNSON, R. K. and HOTTMANN, C. E.: *Estimation of Formation Pressures from Log-Derived Shale Properties*, JPT June, 717
JOHNSTON, O. C., et al: *Mechanics of Viscous Fingering in Miscible Systems*, SPEJ Dec., 301
JONES, L. G. and ODEH, A. S.: *Pressure Drawdown Analysis, Variable-Rate Case*, JPT Aug., 960; discussion, JPT Dec., 1461
JONES, R. G., et al: *The Fry In Situ Combustion Test—Field Operations and Performance*, JPT Mar., 343 and 348
JOYCE, M. P., et al: *The Effect of Entrained Liquid on the Measurement of Gas by an Orifice Meter*, (Tech. Art.) JPT June, 657
JUNKIN, E. D., JR.: *Discussion on Corrosion Inhibitor Squeeze Technique—Field Evaluation of Engineered Squeeze*, (Tech. Art.) JPT Jan., 57

K

KELLY, P. and KENNEDY, S. L.: *Thirty Years of Effective Pressure Maintenance By Gas Injection in the Hilbig Field*, (Tech. Art.) JPT Mar., 279
KENDALL, H. A.: *Application of SP Curves to Corrosion Detection*, (Tech. Art.) JPT Sept., 1029
KENNEDY, H. T., et al: *Recent Correlations of Hydrocarbon Properties With Composition*, JPT Sept., 1105
KENNEDY, S. L. and KELLY, P.: *Thirty Years of Effective Pressure Maintenance By Gas Injection in the Hilbig Field*, (Tech. Art.) JPT Mar., 279
KERN, C. P. and NICHOLSON, F. R., JR.: *Practical Application of Calculated Multiphase Flowing Bottom-Hole Pressures*, (Tech. Art.) JPT Dec., 1373
KERN RIVER FIELD: *See* California
KERVER, J. K. and HANSON, H. R.: *Corrosion Inhibitor Squeeze Technique—Field Evaluation of Engineered Squeezes*, (Tech. Art.) JPT Jan., 50; discussion, 57
KEYSTONE FIELD: *See* Texas
KHAN, A. M. and FATT, I.: *A Thermoelectric Device for Measuring Thermal Conductivity of Rock*, SPEJ June, 113
KIMMEL, J. D. and FANARITIS, J. P.: *Review of Once-Through Steam Generators*, (Tech. Art.) JPT Apr., 409
KINNEY, W. L., et al: *The Fry In Situ Combustion Test—Field Operations and Performance*, JPT Mar., 343 and 348
KNIAZEFF, V. J. and NAVILLE, S. A.: *Two-Phase Flow of Volatile Hydrocarbons*, SPEJ Mar., 37
KNOPP, C. R.: *Gas-Oil Relative Permeability Ratio Correlation From Laboratory Data*, JPT Sept., 1111
KNUTSON, C. F., et al: *Economics of Contained Nuclear Explosions Applied to Petroleum Reservoir Stimulation*, (Tech. Art.) JPT Oct., 1145
KOKESH, F. P., et al: *A New Approach to Sonic Logging and Other Acoustic Measurement*, (Tech. Art.) JPT Mar., 282
KOONCE, K. T. and BLACKWELL, R. J.: *Idealized Behavior of Solvent Banks in Stratified Reservoirs*, SPEJ Dec., 318
KUNKEL, G. C. and BAGLEY, J. W., JR.: *Controlled Waterflooding, Means Queen Reservoir*, (Tech. Art.) JPT Dec., 1385
KYLE, C. R. and PERRINE, R. L.: *Experimental Studies of Miscible Displacement Instability*, SPEJ Sept., 189

L

LABORATORY STUDIES: appraisal of Marsal's extrapolation method for establishing oil recovery, JPT Jan., 107
bit: single-blow tooth impact tests on saturated rocks under confining pressure, SPEJ Sept., 211
Bradford crude: recovery considerations by composite solvent slugs, SPEJ Mar., 45
capillary equilibrium in porous materials, SPEJ Mar., 15
condensates: new depletion-performance correlation for reservoir fluids, JPT July, 852
condensing-gas drive: using phase surfaces to describe, SPEJ Sept., 184
correlation: gas-oil relative permeability ratio, JPT Sept., 1111
predicting solubility, swelling and viscosity behavior of CO_2-crude oil systems, JPT Jan., 102
predicting water coning time, JPT May, 594
crossflow under three-cone bits: velocities, kinetic energy and shear, JPT Dec., 1443
drilling method using explosives, SPEJ June, 153
corrosion detection: application of SP curves, (Tech. Art.) JPT Sept., 1029
drilling fluids: designing, JPT Apr., 465
factors involved with high temperature, JPT June, 707
emulsion control using electrical stability potential, JPT Oct., 1229
field recovery of barite from drilling mud, SPEJ Mar., 6
formation plugging with bacteria, JPT Feb., 201
fracture, horizontal: design based on propped fracture area, JPT June, 723
gas-well completion: proven technique for higher deliverability, (Tech. Art.) JPT June, 647
hardness measurements: evaluation of Rehbinder-Kuznetsov pendulum technique, SPEJ June, 177
heptane-refined wax system: effect of petroleum residua on paraffin deposition, SPEJ Dec., 333
hydration effect of montmorillonite on permeability to gas of water-sensitive reservoir rocks, JPT Oct., 1213
hydrofluoric acid stimulation of sandstone reservoirs, JPT Feb., 215
inter-zonal flow: control and prevention, JPT May, 579
mass transfer between phases in a porous medium, a study of equilibrium, SPEJ Mar., 51
mechanical anisotropies of laminated sedimentary rocks, SPEJ Mar., 67
miscible displacement: controlled natural system, JPT Nov., 1329
instability, SPEJ Sept., 189
mechanics of viscous fingering, SPEJ Dec., 301
plane, radial; in consolidated porous medium, SPEJ Mar., 1
models: oil reservoirs produced by natural water drive, SPEJ Mar., 25
single five-spot and single injection-well pilot waterflooding, JPT Dec., 1454
permeability: effect of steam on water-sensitive formations, JPT Oct., 1219
reduction through changes in pH and salinity, JPT Dec., 1449
pressure gradients: occurring during continuous two-phase flow in small-diameter vertical conduits, JPT Apr., 475
pumping fluids containing friction-reducing additives; method to minimize cost, (Tech. Art.) JPT June, 641
reduction of fracture pressures of rocks by intensive borehole heating, SPEJ Sept., 225

sandstones: role of fluxing agents in thermal alteration, JPT May, 585
thermal alteration, JPT May, 589
single bit-tooth penetration into dry rock at confining pressures of 0 to 5000 psi, SPEJ June, 117
well stimulation fluids: improvement by including gas phase, (Tech. Art.) JPT July, 768

LAND, C. S. and BAPTIST, O. C.: *Effect of Hydration of Montmorillonite on the Permeability to Gas of Water-Sensitive Reservoir Rocks*, JPT Oct., 1213

LAUE, L. C., et al: *Gravity Segregation in a Propane Slug — Miscible Displacement Project, Baskinton Field, Louisiana*, (Tech. Art.) JPT June, 661

LEBOURG, M., et al: *A New System of Tools for Better Control and Interpretation of Drill-Stem Tests*, JPT Feb., 207

LEUTWYLER, K. and BIGELOW, H. L.: *Temperature Effects on Subsurface Equipment in Steam Injection Systems*, JPT Jan., 93

LICENSE: professional engineers: dilemma of program, (Tech. Art.) JPT July, 755

LINDSLY, R. R.: *Review of U. S. Oil and Gas Production—1964*, (Tech. Art.) JPT Aug., 889

LIQUID: entrained in gas: effect on measurement of gas by orifice meter, (Tech. Art.) JPT June, 657

LOG INTERPRETATION: formation pressures: estimation from log-derived shale properties, JPT June, 717

LOGGING: *See* Well Logging

LOMBARD, D. B.: *Recovering Oil From Shale With Nuclear Explosives*, (Tech. Art.) JPT Aug., 877

LONG, R. J.: *Case History of Steam Soaking in the Kern River Field, California*, (Tech. Art.) JPT Sept., 989

LOUISIANA: Anahuac formation: field evaluation of engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
Baskinton field: gravity segregation in propane slug-miscible displacement project, (Tech. Art.) JPT June, 661
Fleming sand: field evaluation of engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
Frio sand: field evaluation of engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
Smackover lime: comparison of predicted and actual performance of volatile crude oil reservoir, (Tech. Art.) JPT Nov., 1291

LPG INJECTION: *See* Solvent Flooding

LUND, G.: *How Management Keeps Abreast of New Technology*, (Tech. Art.) JPT Feb., 155

M

MANAGEMENT: corporate mergers: has public policy strayed from reality? (Tech. Art.) JPT July, 797
oil industry, (Tech. Art.) JPT May, 531
executive chairs for engineers, (Tech. Art.) JPT Mar., 254
Harmattan Elkton field, Canada: case for engineered conservation, (Tech. Art.) JPT Oct., 1171
keeping abreast of new technology, (Tech. Art.) JPT Feb., 155
oil company financial statements, significance, (Tech. Art.) JPT Oct., 1179
reciprocal business dealings: new area of antitrust hazards, (Tech. Art.) JPT Aug., 907

MARKET VALUE: determination: appreciation of equity concept and its relationship to multiple rates of return, (Tech. Art.) JPT Feb., 159

MARSAL'S EXTRAPOLATION METHOD: appraisal for establishing oil recovery, JPT Jan., 107

MASS TRANSFER: between phases in a porous medium, a study of equilibrium, SPEJ Mar., 51

MATERIAL BALANCE: volatile oil reservoir: comparison of predicted and actual performance, (Tech. Art.) JPT Nov., 1291

MAURER, W. C.: *Bit-Tooth Penetration Under Simulated Borehole Conditions*, JPT Dec., 1433
Shear Failure of Rock Under Compression, SPEJ June, 167

MCALISTER, J. A., et al: *A New System of Tools for Better Control and Interpretation of Drill-Stem Tests*, JPT Feb., 207

MCGONAGILL, F. E., JR. and GRUY, H. J.: *Significance of Oil Company Financial Statements*, (Tech. Art.) JPT Oct., 1179

MCLEAN, R. H.: *Velocities, Kinetic Energy and Shear in Crossflow Under Three-Cone Bits*, JPT Dec., 1443

MEANS QUEEN FIELD: *See* Texas

MEASUREMENT: acoustic: new approach to sonic logging, (Tech. Art.) JPT Mar., 282
corrosion rate: applying to waterflood corrosion control, (Tech. Art.) JPT Mar., 269
gas: by orifice meter: effect of entrained liquid, (Tech. Art.) JPT June, 657
hardness: evaluation of Rehbinder-Kuznetsov pendulum technique, SPEJ June, 177
metering emulsions for commingling with electronic cut computer, (Tech. Art.) JPT Nov., 1257
oil content, lithology and porosity with high-energy neutron-induced spectral logging system, (Tech. Art.) JPT July, 801
pressure: research on interpretation, SPEJ Dec., 281
steam permeability: effect of water-sensitive formations, JPT Oct., 1219
thermal conductivity of rock: thermoelectric device, SPEJ June, 113

MEHTA, M. M., et al: *Thermal Alteration of Sandstones*, JPT May, 589

MEITZEN, V. C., et al: *The Effect of Water Influx on p/z Cumulative Gas Production Curves*, (Tech. Art.) JPT Mar., 287

MELROSE, J. C.: *Wettability as Related to Capillary Action in Porous Media*, SPEJ Sept., 259

MELTZER, B. D., et al: *An Efficient Gas Displacement Project —Raleigh Field, Mississippi*, (Tech. Art.) JPT May, 509

MER: United States crude oil producing capacity, measure of industry efficiency, (Tech. Art.) JPT Apr., 392

MERGERS: corporate: has public policy strayed from reality? (Tech. Art.) JPT July, 797
oil industry, (Tech. Art.) JPT May, 531

MESSENGER, J. U.: *Emulsion Control Using Electrical Stability Potential*, JPT Oct., 1229

METERS: orifice: effect of entrained liquid on measurement of gas, (Tech. Art.) JPT June, 657

MIESCH, E. P., et al: *Recent Correlations of Hydrocarbon Properties With Composition*, JPT Sept., 1105

MILLS, W. R., et al: *Borehole Models for Nuclear Logging*, SPEJ June, 109

MISCIBLE DISPLACEMENT: condensing-gas drive: using phase surfaces to describe, SPEJ Sept., 184
controlled natural system, JPT Nov., 1329
experimental studies of instability, SPEJ Sept., 189
high pressure gas: Raleigh field, Mississippi, efficient gas displacement project, (Tech. Art.) JPT May, 509
mass transfer between phases in porous medium, study of equilibrium, SPEJ Mar., 51
mechanics of viscous fingering, SPEJ Dec., 301
plane, radial: study in consolidated porous medium, SPEJ Mar., 1
propane slug: gravity segregation in Baskington field project, Louisiana, (Tech. Art.) JPT June, 661
stratified reservoirs: idealized behavior of solvent banks, SPEJ Dec., 318

MISSISSIPPI: Raleigh field: efficient gas displacement project, (Tech. Art.) JPT May., 509

MOBILITY RATIO: miscible displacement in a controlled natural system, JPT Nov., 1329
waterflooding predictions, analytical-numerical method, SPEJ Sept., 247

MODEL: borehole: for nuclear logging, SPEJ June, 109
cell: simulating alcohol displacement in porous media by computers, SPEJ Mar., 89
jet bit: velocities, kinetic energy and shear in crossflow under three-cone bits, JPT Dec., 1443
mathematical: cross flow effects during an idealized displacement process in stratified reservoir, SPEJ Sept., 229
thermal oil recovery in linear systems, SPEJ Sept., 196
unsteady-state behavior of naturally fractured reservoirs, SPEJ Mar., 60
oil reservoir: appraisal of Marsal's extrapolation method for establishing oil recovery, JPT Jan., 107
potentiometric: gas-cap cycling, Harmattan Elkton field, Canada, (Tech. Art.) JPT Oct., 1171

radiation: temperature effects on sub-surface equipment in steam injection systems, JPT Jan., 93
sand-packed: correlation for predicting water coning time, JPT May, 594
sandstone: laboratory study of single five-spot and single injection-well pilot waterflooding, JPT Dec., 1454
scaled: miscible displacement in a controlled natural system, JPT Nov., 1329
oil reservoirs produced by natural water drive, SPEJ Mar., 25
simplified: use in reservoir engineering, (Tech. Art.) JPT Jan., 19
soil: wettability as related to capillary action, SPEJ Sept., 259
transparent, glass bead packed: experimental studies of miscible displacement instability, SPEJ Sept., 189

MOLECULAR REFRACTION: density predictions of two-phase hydrocarbons particularly near the critical region, SPEJ Mar., 78

MONTMORILLONITE: effect of: hydration on permeability to gas of water-sensitive reservoir rocks, JPT Oct., 1213
steam on permeabilities of water-sensitive formations, JPT Oct., 1219

MOORE, E. W., et al: *Formation, Effect and Prevention of Asphaltene Sludges During Stimulation Treatments*, (Tech. Art.) JPT Sept., 1023

MOREL-SEYTOUX, H. J.: *Analytical-Numerical Method in Waterflooding Predictions*, SPEJ Sept., 247

MORGAN, J. T. and HEWITT, C. H.: *The Fry In Situ Combustion Test — Reservoir Chracteristics*, JPT Mar., 337

MORRIS, R. L. et al: *A New Approach to Sonic Logging and Other Acoustic Measurements*, (Tech. Art.) JPT Mar., 282

MORROW FIELD: *See* Ohio

MORROW, N. R. and HARRIS, C. C.: *Capillary Equilibrium in Porous Materials*, SPEJ Mar., 15

MORTEN, R. F.: *Reciprocal Business Dealings — A New Area of Antitrust Hazards*, (Tech. Art.) JPT Aug., 907

MOSS, J. T. and WHITE, P. D.: *High-Temperature Thermal Techniques for Stimulating Oil Recovery*, (Tech. Art.) JPT Sept., 1007

MOULIN, J., et al: *Production Logging — The Key to Optimum Well Performance*, (Tech. Art.) JPT Feb., 137

MUELLER, T. D. and DYKSTRA, H.: *Calculation of Phase Compositions and Properties for Lean- or Enriched-Gas Drive*, SPEJ Sept., 239

MUELLER, T. D. and WITHERSPOON, P. A.: *Pressure Interference Effects Within Reservoirs and Aquifers*, JPT Apr., 471

MULTI-FLOW EVALUATOR: new system of tools for better control and interpretation of drill-stem tests, JPT Feb., 207

MUNGAN, N.: *Permeability Reduction Through Changes in pH and Salinity*, JPT Dec., 1449

N

NANGEA, A. G., et al: *The Effect of Entrained Liquid on the Measurement of Gas by an Orifice Meter*, (Tech. Art.) JPT June, 657

NATIONAL ACADEMY OF ENGINEERING: formation: profession gains new prestige, (Tech. Art.) JPT Jan., 63

NATURAL GAS: *See also* Gas
cost, (Tech. Art.) JPT Feb., 133
countercurrent stripping: desorption of oxygen from water, (Tech. Art.) JPT May, 515
effect of water influx on *p/z* cumulative gas production curves, (Tech. Art.) JPT Mar., 287
engineering: standard letter symbols, JPT Dec., 1463
non-Darcy flow and wellbore storage effects in pressure build-up and drawdown of wells, JPT Feb., 223
twenty-year look at Free World requirements, (Tech. Art.) JPT Nov., 1251
water influx in reservoirs, importance, JPT Nov., 1336

NAVILLE, S. A. and KNIAZEFF, V. J.: *Two-Phase Flow of Volatile Hydrocarbons*, SPEJ Mar., 37

NEILL, G. H., et al: *A Method to Minimize the Cost of Pumping Fluids Containing Friction-Reducing Additives*, (Tech. Art.) JPT June, 641

NELSON, T. W.: *A Twenty-Year Look at Free World Petroleum Requirements — A 300 Billion Barrel Challenge*, (Tech. Art.) JPT Nov., 1251

NEUTRON LOGGING: high-energy spectral system: field experience in measuring oil content, lithology and porosity, (Tech. Art.) JPT July, 801

NEWTON, L. E., JR. and DIXON, B. P.: *Reinjection of Large Volumes of Produced Water in Secondary Operations*, (Tech. Art.) JPT July, 781

NICHOLSON, F. R., JR. and KERN, C. P.: *Practical Application of Calculated Multi-phase Flowing Bottom-Hole Pressures*, (Tech. Art.) JPT Dec., 1373

NIELSEN, R. F. and BENTSEN, R. G.: *A Study of Plane, Radial Miscible Displacement in a Consolidated Porous Medium*, SPEJ Mar., 1

NITROGEN: well stimulation fluids: improvement by including gas phase, (Tech. Art.) JPT July, 768

NON-NEWTONIAN SYSTEMS: axial laminar flow of fluids in narrow eccentric annuli, SPEJ Dec., 277

NORTH WARD-ESTES FIELD: *See* Texas

NUCLEAR ENERGY: comparison with energy from oil, (Tech. Art.) JPT May, 505

NUCLEAR EXPLOSIONS: contained: economics applied to petroleum reservoir stimulation, (Tech. Art.) JPT Oct., 1145
recovering oil from shale, (Tech. Art.) JPT Aug., 877

NUCLEAR LOGGING: borehole methods, SPEJ June, 109

NUMERICAL SOLUTION: average reservoir pressure from build-up surveys, JPT Aug., 955
axial laminar flow of non-Newtonian fluids in narrow eccentric annuli, SPEJ Dec., 277
crossflow effects during idealized displacement process in stratified reservoir, SPEJ Sept., 229
mathematical model of thermal oil recovery in linear systems, SPEJ Sept., 196
oil recovery: by hot water injection in a radial system, SPEJ June, 131
partial differential equation: transient radial flow of gas-condensate fluids in porous structures, SPEJ June, 141
phase behavior generated by enriched-gas-drive process, SPEJ June, 160
pressure drawdown analysis: variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461
pressure interference effects within reservoirs and aquifers, JPT Apr., 471
two-phase flow of volatile hydrocarbons, SPEJ Mar., 37
unit response function from varying-rate data, JPT Aug., 965; discussion, JPT Dec., 1462
unsteady-state behavior of naturally fractured reservoirs, SPEJ Mar., 60
waterflooding predictions, SPEJ Sept., 247
water resistivities calculated from chemical analyses, (Tech. Art.) JPT Dec., 1396

NUTTER, B. P., et al: *A New System of Tools for Better Control and Interpretation of Drill-Stem Tests*, JPT Feb., 207

O

ODEH, A. S.: *Unsteady-State Behavior of Naturally Fractured Reservoirs*, SPEJ Mar., 60

ODEH, A. S. and JONES, L. G.: *Pressure Drawdown Analysis, Variable-Rate Case*, JPT Aug., 960; discussion, JPT Dec., 1461

OHIO: Morrow field: Trempealeau reservoir performance, solution-gas drive, (Tech. Art.) JPT Dec., 1391

OIL: content: field experience in measuring with high-energy neutron-induced spectral logging system, (Tech. Art.) JPT July, 801
energy from, comparison with nuclear energy, (Tech. Art.) JPT May, 505
synthetic reservoir rock: variations in permeability and porosity, methods of control, SPEJ Dec., 329

OIL INDUSTRY: joint university research project, (Tech. Art.) JPT Feb., 170
mergers, (Tech. Art.) JPT May, 531
petroleum engineers shortage: are we solving problem? (Tech. Art.) JPT July, 790
production, foreign: review of 1964, (Tech. Art.) JPT Sept., 1019
progress and conservation, (Tech. Art.) JPT July, 759

OIL PRODUCTION: U.S.: review of 1964, (Tech. Art.) JPT Aug., 889

OIL RECOVERY: analytical-numerical method in waterflooding predictions, SPEJ Sept., 247

appraisal of Marsal's extrapolation method, JPT Jan., 107
Bradford crude: by composite solvent slugs, SPEJ Mar., 45
hot water injection: numerical method for computing in a radial system, SPEJ June, 131
from shale with nuclear explosives, (Tech. Art.) JPT Aug., 877
imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
stimulation: high-temperature thermal techniques, (Tech. Art.) JPT Sept., 1007
thermal: mathematical model of linear systems, SPEJ Sept., 196
two-spot combustion project, (Tech. Art.) JPT Sept., 994
OIL RESERVOIRS: natural water-drive produced, laboratory models, SPEJ Mar., 25
pressure measurements: research on interpretation, SPEJ Dec., 281
OIL SHALE: recovering oil from shale with nuclear explosives, (Tech. Art.) JPT Aug., 877
OIL STOCKS: oil company financial statements, significance, (Tech. Art.) JPT Oct., 1179
OIL WELLS: cements: strength at downhole pressure-temperature conditions, SPEJ Dec., 341
pressure drawdown analysis: variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461
OKLAHOMA: Delaware-Childers field: results from thermal recovery test in a watered-out reservoir, JPT Nov., 1343
Domes unit: performance of carbonated waterflood, first stage, (Tech. Art.) JPT Dec., 1379
miscible displacement in a controlled natural system, JPT Nov., 1329
Sholem Alechem field, fault block "E": peripheral pattern waterflood performance, (Tech. Art.) JPT May, 537

P

PARAFFIN: heptane-refined wax system: effect of petroleum residua on deposition, SPEJ Dec., 333
PATCHEN, F. D., et al: *A New Device for Field Recovery of Barite: II. Scale-Up and Design*, SPEJ June, 100
PATTON, C. C. and JESSEN, F. W.: *The Effect of Petroleum Residua on Paraffin Deposition From a Heptane-Refined Wax System*, SPEJ Dec., 333
PATTON, L. D.: *Comparative Energy Requirements of Oilfield Pumping Units — Conventional vs Front-Mounted*, (Tech. Art.) JPT Jan., 26
PEMBINA FIELD: *See* Canada
PENNSYLVANIA: Bradford crude: considerations in recovery by composite solvent slugs, SPEJ Mar., 45
PERFORATING: fracturing technique, continuous multistage, (Tech. Art.) JPT June, 619
gas-well completion: proven technique for higher deliverability, (Tech. Art.) JPT June, 647
PERFORMANCE PREDICTIONS: depletion correlation for gas-condensate reservoir fluids, JPT July, 852
Domes unit, Oklahoma: first stage of carbonated waterflood, (Tech. Art.) JPT Dec., 1379
edge-water drive: appraisal of Marsal's extrapolation method for establishing oil recovery, JPT Jan., 107
phase behavior generated by enriched-gas-drive process, SPEJ June, 160
Sholem Alechem field, fault block "E": peripheral pattern waterflood, (Tech. Art.) JPT May, 537
Smackover lime, Louisiana: comparison of predicted and actual, volatile crude oil reservoir, (Tech. Art.) JPT Nov., 1291
water coning time correlation, JPT May, 594
waterflood: graphical representation of porosity and permeability distribution, (Tech. Art.) JPT Nov., 1285
Wilmington field, California: successful flank well curtailment program in a peripheral water flood, (Tech. Art.) JPT Oct., 1153
PERKINS, T. K., et al: *Mechanics of Viscous Fingering in Miscible Systems*, SPEJ Dec., 301
PERMEABILITY: distribution: predicting waterflood performance by graphical representation, (Tech. Art.) JPT Nov., 1285
effect of steam on water-sensitive formations, JPT Oct., 1219
interbedding of shale breaks and reservoir heterogeneities, JPT Oct., 1223
porous media to water: effect of foam, SPEJ Dec., 295
reduction through changes in pH and salinity, JPT Dec., 1449
relative to gas: effect of hydration of montmorillonite for water-sensitive reservoir rocks, JPT Oct., 1213
stratified: crossflow effects during idealized displacement process, SPEJ Sept., 229
idealized behavior of solvent banks in reservoirs, SPEJ Dec., 318
variations: synthetic oil reservoir rock, methods of control, SPEJ Dec., 329
PERMIAN SHALE: *See* Texas
PERRINE, R. L. and KYLE, C. R.: *Experimental Studies of Miscible Displacement Instability*, SPEJ Sept., 189
PERSONNEL: petroleum engineers: are we solving the shortage problem? (Tech. Art.) JPT July, 790
PETROLEUM: *See* Oil
PETROLEUM ECONOMICS: *See* Economics
PETROLEUM ENGINEERING: education: first half-century, (Tech. Art.) JPT Apr., 377
employment outlook, (Tech. Art.) JPT Jan., 73
PETROLEUM ENGINEERS: continuing education: key to minimizing obsolescence, (Tech. Art.) JPT Apr., 405
role in progress and conservation, (Tech. Art.) JPT July, 759
shortage: are we solving problem?, (Tech. Art.) JPT July, 790
PETROLEUM INDUSTRY: United States: crude oil producing capacity, measure of industry efficiency, (Tech. Art.) JPT Apr., 392
PFEIFFER, F. C.: *U.S. Crude Oil Producing Capacity — A Measure of Industry Efficiency*, (Tech. Art.) JPT Apr., 392
PHASE BEHAVIOR: condensing-gas-drive experiments: using phase surfaces to describe, SPEJ Sept., 184
correlations for predicting solubility, swelling and viscosity behavior of CO_2-crude oil systems, JPT Jan., 102
enriched-gas-drive process: prediction, SPEJ June, 160
PHILLIPS, C. E.: *The Appreciation of Equity Concept and Its Relationship to Multiple Rates of Return*, (Tech. Art.) JPT Feb., 159
PHYSICAL PROPERTIES: rock: study of formation plugging with bacteria, JPT Feb., 201
PIERCE, R. L. and GARRISON, W. H., JR.: *Case History of a Successful Flank Well Curtailment Program in a Peripheral Water Flood*, (Tech. Art.) JPT Oct., 1153
PILOT FLOODS: laboratory model study of single five-spot and single injection well, JPT Dec., 1454
PLUGGING: formation: study of bacteria, JPT Feb., 201
PODIO, A. and GRAY, K. E.: *Single-Blow Bit-Tooth Impact Tests on Saturated Rocks Under Confining Pressure: I. Zero Pore Pressure*, SPEJ Sept., 211
POROSITY: distribution: predicting waterflood performance by graphical representation, (Tech. Art.) JPT Nov., 1285
measuring: field experience with high-energy neutron-induced spectral logging system, (Tech. Art.) JPT July, 801
variations: synthetic oil reservoir rock, methods of control, SPEJ Dec., 329
POROUS MEDIA: *See also* Reservoir Rocks
alcohol displacement: computer models for simulating, SPEJ Mar., 89
capillary equilibrium, SPEJ Mar., 15
consolidated: study of plane, radial miscible displacement, SPEJ Mar., 1
experimental study: single bit-tooth penetration into dry rock at confining pressures 0 to 5000 psi, SPEJ June, 117
forward combustion: mathematical model, linear systems, SPEJ Sept., 196
mass transfer between phases, a study of equilibrium, SPEJ Mar., 51
permeability to water: effect of foam, SPEJ Dec., 295
shear failure under compression, SPEJ June, 167
thermal conductivity: thermoelectric device for measuring, SPEJ June, 113
transient radial flow of gas-condensate fluids: integration of partial differential equation, SPEJ June, 141
wettability: relation to capillary action, SPEJ Sept., 259
POTTS, N. L., et al: *Integration of Partial Differential Equation for Transient Radial Flow of Gas-Condensate Fluids in Porous Structures*, SPEJ June, 141

POUPON, A., et al: *Production Logging—The Key to Optimum Well Performance*, (Tech. Art.) JPT Feb., 137

PRESSURE BEHAVIOR: cements, oil well: strength at downhole conditions, SPEJ Dec., 341
drawdown analysis: variable-rate case, JPT Aug., 960; discussion, JPT Dec., 1461
interference effects within reservoirs and aquifers, JPT Apr., 471
research on interpretation of measurements, SPEJ Dec., 281

PRESSURE BUILD-UP ANALYSES: average reservoir pressure from surveys, JPT Aug., 955
gas wells: non-Darcy flow and wellbore storage effects, JPT Feb., 223
new system of tools for better control and interpretation, JPT Feb., 207
unsteady-state behavior of naturally fractured reservoirs, SPEJ Mar., 60
well-to-fault distance: approximating from tests, (Tech. Art.) JPT July, 761

PRESSURE GRADIENTS: continuous two-phase flow in small-diameter vertical conduits, experimental study, JPT Apr., 475

PRESSURE MAINTENANCE: *See* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Alcohol, Solvent, and Water Flooding

PRODUCTION: foreign: review of 1964, (Tech. Art.) JPT Sept., 1019
Fry in situ combustion test, JPT Mar., 348
gas, cumulative: effect of water influx on p/z curves, (Tech. Art.) JPT Mar., 287
Kern River field, California: case history of steam soaking, (Tech. Art.) JPT Sept., 989
oil and gas: review of U. S., 1964, (Tech. Art.) JPT Aug., 889
secondary operations: reinjection of large volumes of produced water, (Tech. Art.) JPT July, 781
thermal operations, financing, (Tech. Art.) JPT Sept., 999
United States: crude oil producing capacity, measure of industry efficiency, (Tech. Art.) JPT Apr., 392

PRODUCTION LOGGING: key to optimum well performance, (Tech. Art.) JPT Feb., 137

PRODUCTION OPERATIONS: *See also* the specific operation
cement-lined tubing, engineered approach, (Tech. Art.) JPT June, 626
comparative energy requirements of oilfield pumping units — conventional vs front-mounted, (Tech. Art.) JPT Jan., 26
continuous-string light workover unit, (Tech. Art.) JPT Jan., 39
Fry in situ combustion test, JPT Mar., 343
Hassi Messaoud field, Algeria: practical solution to problem of asphaltene deposits, (Tech. Art.) JPT Apr., 387
North Pembina Cardium Unit No. 1, Canada: automatic data gathering and supervisory control system, (Tech. Art.) JPT Nov., 1263
stimulation: formation, effect and prevention of asphaltene sludges, (Tech. Art.) JPT Sept., 1023

PROFESSIONAL SOCIETIES: engineering library offers 60,000 volumes relating to AIME subjects, (Tech. Art.) JPT Nov., 1304
licensing program: dilemma of professional engineers, (Tech. Art.) JPT July, 755
profession gains new prestige with formation of National Academy of Engineering, (Tech. Art.) JPT Jan., 63

PROFESSIONALISM: licensing program: dilemma of professional engineers, (Tech. Art.) JPT July, 755
petroleum engineering education: the first half-century, (Tech. Art.) JPT Apr., 377
superior teaching, (Tech. Art.) JPT Mar., 263

PROFITABILITY: strategy for sealed bidding, (Tech. Art.) JPT Sept., 1033

PROPANE SLUG: miscible displacement: gravity segregation in Baskinton field project, Louisiana, (Tech. Art.) JPT June, 661

PROPERTIES: fluid: calculation for lean- or enriched-gas drive, SPEJ Sept., 239
hydrocarbon: recent correlations with composition, JPT Sept., 1105
producing: practical application of digital computers to economic analysis, (Tech. Art.) JPT Feb., 145
strategy for sealed bidding, (Tech. Art.) JPT Sept., 1033

PRUITT, G. T., et al: *A Method to Minimize the Cost of Pumping Fluids Containing Friction-Reducing Additives*, (Tech. Art.) JPT June, 641

PUMPING: comparative energy requirements of oilfield units, conventional vs front-mounted, (Tech. Art.) JPT Jan., 26
fluids: friction-reducing additives; method to minimize cost of pumping fluids, (Tech. Art.) JPT June, 641

Q

QUITMAN FIELD: *See* Texas

R

RADZIMOVSKY, E. I. and DARELNG, D. W.: *Effect of Dynamic Bit Forces on Bit Bearing Life*, SPEJ Dec., 272

RAIMONDI, P. and TORCASO, M. A.: *Mass Transfer Between Phases in a Porous Medium: A Study of Equilibrium*, SPEJ Mar., 51

RALEIGH FIELD: *See* Mississippi

RALEIGH, J. T. and FLOCK, D. L.: *A Study of Formation Plugging With Bacteria*, JPT Feb., 201

RAMEY, H. J., JR.: *Non-Darcy Flow and Wellbore Storage Effects in Pressure Build-Up and Drawdown of Gas Wells*, JPT Feb., 223

RAMEY, H. J., JR., et al: *The Importance of Water Influx in Gas Reservoirs*, JPT Nov., 1336

RATE OF RETURN: multiple: relationship to equity concept, (Tech. Art.) JPT Feb., 159
nominal and effective: difference between, (Tech. Art.) JPT Aug., 911; discussion, JPT Dec., 1399

RECIPROCITY: business dealings: new area of antitrust hazards, (Tech. Art.) JPT Aug., 907

REID, L. S., et al: *The Effect of Entrained Liquid on the Measurement of Gas by an Orifice Meter*, (Tech. Art.) JPT June, 657

RELATIVE PERMEABILITY RATIO: gas-oil: correlation from laboratory data, JPT Sept., 1111

RESEARCH AND DEVELOPMENT: joint industry-university research project, (Tech. Art.) JPT Feb., 170

RESERVOIR ANALYSIS: unsteady-state behavior of naturally fractured type, SPEJ Mar., 60

RESERVOIR MECHANICS: what is it?, (Tech. Art.) JPT Jan., 19

RESERVOIR PRESSURE: average: determination from build-up surveys, JPT Aug., 955

RESERVOIR ROCKS: *See also* Cores and Porous Media
economics of contained nuclear explosions applied to petroleum reservoir stimulation, (Tech. Art.) JPT Oct., 1145
mechanics: opportunity for service by AIME, (Tech. Art.) JPT Feb., 176
oil, synthetic: variations in permeability and porosity, methods of control, SPEJ Dec., 329
plugging with bacteria, a study, JPT Feb., 201
saturated: single-blow bit-tooth impact tests under confining pressure, SPEJ Sept., 211
sedimentary, laminated: mechanical anisotropies, SPEJ Mar., 67
water-sensitive: effect of hydration of montmorillonite on permeability, JPT Oct., 1213

RESERVOIR STIMULATION: petroleum: economics of contained nuclear explosions, (Tech. Art.) JPT Oct., 1145

RESERVOIRS: *See also* types, such as Bottom-Water Drive, Gas-Cap Drive, Gravity Drainage, Solution-Gas Drive, and Water Drive, and also specific names
Fry in situ combustion test: characteristics, JPT Mar., 337
heterogeneous: interbedding of shale breaks, JPT Oct., 1223
pressure interference effects within, JPT, 471
stratified: idealized behavior of solvent banks, SPEJ Dec., 318
watered-out: thermal recovery test results, JPT Nov., 1343

RESISTIVITY: water: improved method for calculating from chemical analyses, (Tech. Art.) JPT Dec., 1396

RESPONSE FUNCTIONS: unit: from varying-rate data, JPT Aug., 965; discussion, JPT Dec., 1462

REVERSE COMBUSTION: *See* Thermal Recovery of Oil

RHEOLOGY: drilling fluids: factors involved with high temperature, JPT June, 707

ROBINSON, L. H.: *Experimental Tests of a Method for Drilling With Explosives*, SPEJ June, 153

ROCK MECHANICS: bit-tooth penetration under simulated bore-

hole conditions, JPT Dec., 1433
experimental study: single bit-tooth penetration into dry rock at confining pressures 0 to 5000 psi, SPEJ June, 117
mechanical anisotropies of laminated sedimentary rocks, SPEJ Mar., 67
opportunity for service by AIME, (Tech. Art.) JPT Feb., 176
shear failure under compression, SPEJ June, 167
ROCK PROPERTIES: drillability: hardness measurements, evaluation of Rehbinder-Kuznetsov pendulum technique, SPEJ June, 177
sandstones: role of fluxing agents in thermal alteration, JPT May, 585
thermal alteration, JPT May, 589
ROOT, P. J. and SKIBA, F. F.: *Crossflow Effects During an Idealized Displacement Process in a Stratified Reservoir*, SPEJ Sept., 229
ROOT, P. J. and WARREN, J. E.: *Discussion on Unsteady-State Behavior of Naturally Fractured Reservoirs*, SPEJ Mar., 64
ROWE, A. M., JR. and SILBERBERG, I. H.: *Prediction of the Phase Behavior Generated by the Enriched-Gas-Drive Process*, SPEJ June, 160
RUMBLE, R. C. and HOYER, W. A.: *Field Experience in Measuring Oil Content, Lithology and Porosity With a High-Energy Neutron-Induced Spectral Logging System*, (Tech. Art.) JPT July, 801
RUNYAN, E. E.: *An Engineered Approach to Cement-Lined Tubing*, (Tech. Art.) JPT June, 626

S

SACROC UNIT: *See* Texas
SAHARA: Hassi R'Mel field: two-phase flow of volatile hydrocarbons, SPEJ Mar., 37
SALINITY: changes: permeability reduction, JPT Dec., 1449
SALT CREEK FIELD: *See* Texas
SAND: transport in horizontal fractures, JPT June, 723
SANDREA, R. and STAHL, C. D.: *Considerations in the Recovery of Bradford Crude by Composite Solvent Slugs*, SPEJ Mar., 45
SANDSTONE: bituminous: possible applications of thermal recovery in Utah, (Tech. Art.) JPT Nov., 1277
hydrofluoric acid stimulation of reservoirs, JPT Feb., 215
thermal alteration, JPT May, 589
role of fluxing agents, JPT May, 585
SAREM, A. M. and CAMPBELL, J. M.: *Prediction of the Density of Two-Phase Hydrocarbon Systems Particularly Near the Critical Region*, SPEJ Mar., 78
SATTER, A.: *Heat Losses During Flow of Steam Down a Wellbore*, JPT July, 845
SAWYER, G. H., et al: *Oil Recovery by Imbibition Water Flooding in the Austin and Buda Formations*, (Tech. Art.) JPT Aug., 919
SCHAEFER, F. W. D.: *Public Policy on Corporate Mergers: Has It Strayed From Reality?*, (Tech. Art.) JPT July 797
SCIENCE: validity of knowledge, (Tech. Art.) JPT May, 521
SCHILSON, R. E., et al: *The Fry In Situ Combustion Test—Field Operations and Performance*, JPT Mar., 343 and 348
SCHWARTZ, R. J., et al: *A New Approach to Sonic Logging and Other Acoustic Measurements*, (Tech. Art.) JPT Mar., 282
SCOTT, J. O. and FORRESTER, C. E.: *Performance of Domes Unit Carbonated Waterflood — First Stage*, (Tech. Art.) JPT Dec., 1379
SECONDARY RECOVERY: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Alcohol, Solvent and Water Flooding
SEPARATOR: mud, centrifugal: device for field recovery of barite, scale-up and design, SPEJ June, 100
new device for field recovery of barite from drilling mud, SPEJ Mar., 6
SHALE: breaks: interbedding and reservoir heterogeneities, JPT Oct., 1223
log-derived properties: estimation of formation properties, JPT June, 717
recovering oil with nuclear explosives, (Tech. Art.) JPT Aug., 877
SHAPED CHARGES: drilling method: experimental tests with explosives, SPEJ June, 153
SHEAR FAILURE: rock under compression, SPEJ June, 167
SHERWIN, S. F.: *The Cost of Natural Gas*, (Tech. Art.) JPT Feb., 133
SHOLEM ALECHEM FIELD: *See* Oklahoma
SILBERBERG, I. H., and CAUDLE, B. H.: *Laboratory Models of Oil Reservoirs Produced By Natural Water Drive*, SPEJ Mar., 25
SILBERBERG, I. H. and ROWE, A. M., JR.: *Prediction of the Phase Behavior Generated by the Enriched-Gas-Drive Process*, SPEJ June, 160
SIMMONS, C. M., et al: *A Method to Minimize the Cost of Pumping Fluids Containing Friction-Reducing Additives*, (Tech. Art.) JPT June, 641
SIMON, R. and GRAUE, D. J.: *Generalized Correlations for Predicting Solubility, Swelling and Viscosity Behavior of CO_2-Crude Oil Systems*, JPT Jan., 102
SKIBA, F. F. and ROOT, P. J.: *Crossflow Effects During an Idealized Displacement Process in a Stratified Reservoir*, SPEJ Sept., 229
SLATOR, D. T. and HANSON, W. E., JR.: *Continuous-String Light Workover Unit*, (Tech. Art.) JPT Jan., 39
SLUDGES: asphaltene: formation, effect and prevention during stimulation treatments, (Tech. Art.) JPT Sept., 1023
SLUG PROCESS: *See* Miscible Displacement
SMACKOVER LIME: *See* Louisiana
SMITH, C. F. and HENDRICKSON, A. R.: *Hydrofluoric Acid Stimulation of Sandstone Reservoirs*, JPT Feb., 215
SOBOCINSKI, D. P. and CORNELIUS, A. J.: *A Correlation for Predicting Water Coning Time*, JPT May, 594
SOLUBILITY: CO_2-crude oil system: generalized correlation for predicting behavior, JPT Jan., 102
SOLUTION-GAS DRIVE: Morrow field, Ohio: Trempealeau reservoir performance, (Tech. Art.) JPT Dec., 1391
SOLVENT FLOODING: *See also* Alcohol Flooding and Miscible Displacement
stratified reservoir: idealized behavior of solvent banks, SPEJ Dec., 318
SOMERTON, W. H. and CLARK, K. K.: *Laboratory Investigation of Reduction of Fracture Pressures of Rocks by Intensive Borehole Heating*, SPEJ Sept., 225
SOMERTON, W. H. and GUPTA, V. S.: *Role of Fluxing Agents in Thermal Alteration of Sandstones*, JPT May, 585
SOMERTON, W. H., et al: *Thermal Alteration of Sandstones*, JPT May, 589
SONIC LOGGING: *See* Acoustic Velocity Logging
SONOSKY, J. M. and BABCOCK, C. D.: *Financing Thermal Operations*, (Tech. Art.) JPT Sept., 999
SOUTH WARD FIELD: *See* Texas
SP LOG: application to corrosion detection, (Tech. Art.) Sept., 1029
SPE: continuing education: Dallas completes reservoir engineering refresher course, (Tech. Art.) JPT Oct., 1195
key to minimizing obsolescence of engineers, (Tech. Art.) JPT Apr., 405
value of AIME, (Tech. Art.) JPT Oct., 1196
SPURLOCK, J. W., et al: *Control and Prevention of Inter-Zonal Flow*, JPT May, 579
STABILITY: electrical potential: emulsion control method, JPT Oct. 1229
non: miscible displacement, experimental studies, SPEJ Sept., 189
STAHL, C. D. and FAROUQ ALI, S. M.: *Computer Models for Simulating Alcohol Displacement in Porous Media*, SPEJ Mar., 89
STALKUP, F. I.: *Using Phase Surfaces to Describe Condensing-Gas-Drive Experiments*, SPEJ Sept., 184
STEAM INJECTION: *See* Thermal Recovery of Oil
STIMULATION: *See* Reservoir and Well Stimulation or the specific process
STRATIFICATION: *See* Permeability: stratified
STREET, N. and HEINS, R. W.: *An Evaluation of the Rehbinder Kuznetsov Pendulum Technique in Hardness Measurements*, SPEJ June, 177
STRIPPING: countercurrent: desorption of oxygen from water using natural gas, (Tech. Art.) JPT May, 515

SUMNER, E. F., et al: *Integration of Partial Differential Equation for Transient Radial Flow of Gas-Condensate Fluids in Porous Structures*, SPEJ June, 141

SUNNYSIDE DEPOSIT: *See* Utah

SURKALO, H., et al: *The Fry In Situ Combustion Test—Field Operations and Performance*, JPT Mar., 343 and 348

SUTTON, E.: *Trempealeau Reservoir Performance, Morrow County, Ohio, Field*, (Tech. Art.) JPT Dec., 1391

SWEEP EFFICIENCY: two-spot combustion recovery project, (Tech. Art.) JPT Sept., 994
waterflooding predictions, analytical-numerical method, SPEJ Sept., 247

SYMBOLS: letter: standard for petroleum reservoir engineering, natural gas engineering, and well logging quantities, JPT Dec., 1463

T

TALASH, A. W. and CRAWFORD, P. B.: *An Improved Method for Calculating Water Resistivities From Chemical Analyses*, (Tech. Art.) JPT Dec., 1396

TALKINGTON, G. E., et al: *Pressure Maintenance by Bottom-Water Injection in a Massive San Andres Dolomite Reservoir*, (Tech. Art.) JPT Aug., 883

TANGUY, D. R., et al.: *Automatic Log Computation at Wellsite—Formation Analysis Logs*, (Tech. Art.) JPT Jan., 11

TARTERA, M. and HASKETT, C. E.: *A Practical Solution to the Problem of Asphaltene Deposits—Hassi Messaoud Field, Algeria* (Tech. Art.) JPT Apr., 387

TAYLOR, R. W.: *Engineering Societies Library Offers 60,000 Volumes Relating to AIME Subjects*, (Tech. Art.) JPT Nov., 1304
Mating Season for Engineering Federations, (Tech. Art.) July, 831
The Employment Outlook for Engineers—Particularly in Mining, Metals and Petroleum, (Tech. Art.) JPT Jan., 73

TECHNICAL OBSOLESCENCE: engineers: continuing education, the key to minimizing, (Tech. Art.) JPT Apr., 405
how management keeps abreast of new technology, (Tech. Art.) JPT Feb., 155

TELLER, E.: *Energy From Oil and From the Nucleus*, (Tech. Art.) JPT May, 505

TEMPERATURE: alteration of sandstones, JPT May, 589
role of fluxing agents, JPT May, 585
cements, oil well: strength at downhole conditions, SPEJ Dec., 341
effects on subsurface equipment in steam injection systems, JPT Jan., 93
high: factors involved in drilling fluids, JPT June, 707
thermal techniques for stimulating oil recovery, (Tech. Art.) JPT Sept., 1007

TERTIARY RECOVERY: thermal recovery test in a watered-out reservoir, results, JPT Nov., 1343

TESTING: bit: single-blow tooth impact tests on saturated rocks under confining pressure, SPEJ Sept., 211
cements, oil well: strength at downhole pressure-temperature conditions, SPEJ Dec., 341

TEUBNER, W. G., et al.: *Gravity Segregation in a Propane Slug—Miscible Displacement Project, Baskinton Field, Louisiana*, (Tech. Art.) JPT June, 661

TEXAS: Cockfield formation: field evaluation of engineered corrosion inhibitor squeeze technique, (Tech. Art.) JPT Jan., 50; discussion, 57
Darst Creek field: oil recovery by imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
East Texas field: metering emulsions for commingling with electronic cut computer, (Tech. Art.) JPT Nov., 1257
Hastings field: ten-year review of corrosion mitigation, (Tech. Art.) JPT Aug., 892
Hilbig field: gas injection, thirty years of effective pressure maintenance, (Tech. Art.) JPT Mar., 279
Howard-Glasscock field: reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781
Keystone field: reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781
Means Queen field: controlled waterflooding, (Tech. Art.) JPT Dec., 1385
Permian shale: mechanical anisotropies of laminated sedimentary rocks, SPEJ Mar., 67
Quitman field: metering emulsions for commingling with electronic cut computer, (Tech. Art.) JPT Nov., 1257
SACROC unit: desorption of oxygen from water using natural gas for countercurrent stripping, (Tech. Art.) JPT May, 515
reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781
Salt Creek field: oil recovery by imbibition water flooding in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
South Ward field: reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781
Waddell field: pressure maintenance by bottom-water injection in a massive San Andres dolomite reservoir, (Tech. Art.) JPT Aug., 883

THERMAL PROPERTIES: conductivity of rock: thermoelectric device for measuring, SPEJ June, 113

THERMAL RECOVERY OF OIL: financing thermal operations, (Tech. Art.) JPT Sept., 999
Fry in situ combustion test; field operations, JPT Mar., 343
performance, JPT Mar., 348
reservoir characteristics, JPT Mar., 337
heat losses during flow of steam down a wellbore, JPT July, 845
high-temperature stimulating techniques, (Tech. Art.) JPT Sept., 1007
Kern River field, California: case history of steam soaking, (Tech. Art.) JPT Sept., 989
mathematical model of linear systems, SPEJ Sept., 196
review of once-through steam generators, (Tech. Art.) JPT Apr., 409
sandstones: role of fluxing agents in thermal alteration, JPT May, 585
thermal alteration, JPT May, 589
temperature effects on subsurface equipment in steam injection systems, JPT Jan., 93
two-spot combustion recovery project, (Tech. Art.) JPT Sept., 994
Utah: some possible applications, (Tech. Art.) JPT Nov., 1277
water treatment: for once-through steam generators, (Tech. Art). JPT Apr., 417
watered-out reservoir: results of pilot test, JPT Nov., 1343

TIXIER, M. P., et al: *Automatic Log Computation at Wellsite—Formation Analysis Logs*, (Tech. Art.) JPT Jan., 11

TORCASO, M. A. and RAIMONDI, P.: *Mass Transfer Between Phases in a Porous Medium: A Study of Equilibrium*, SPEJ Mar., 51

TORCHLIGHT FIELD: *See* Wyoming

TRAINING: continuing education: Dallas completes reservoir engineering refresher course, (Tech. Art.) JPT Oct., 1195
superior teaching, (Tech. Art.) JPT Mar., 263

TRANSITION ZONES: miscible displacement: instability, experimental studies, SPEJ Sept., 189
plane, radial: study in consolidated porous medium, SPEJ Mar., 1
thick: identification and significance in an efficient gas displacement project, Raleigh field, Mississippi, (Tech. Art.) JPT May, 509

TUBING: cement-lined: engineered approach, (Tech. Art.) JPT June, 626
injector: use in continuous-string light workover unit, (Tech. Art.) JPT Jan., 39
pressure gradients: occurring during continuous two-phase flow, experimental study, JPT Apr., 475

TUNNELL, B.: *Progress and Conservation*, (Tech. Art.) JPT July, 759

U

UHL, A. E.: *Petroleum Engineering Education: The First Half-Century*, (Tech. Art.) JPT Apr., 377

UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil

UNDERGROUND EXPLOSION: nuclear: economics applied to petroleum reservoir stimulation, (Tech. Art.) JPT Oct., 1145

UNITED STATES: crude oil: producing capacity, measure of industry efficiency, (Tech. Art.) JPT Apr., 392
oil and gas production: review of 1964, (Tech. Art.) JPT Aug., 889
UTAH: Sunnyside deposit: a possible application of thermal recovery, (Tech. Art.) JPT Nov., 1277
Vernal deposit: a possible application of thermal recovery, (Tech. Art.) JPT Nov., 1277
Whiterocks deposit: a possible application of thermal recovery, (Tech. Art.) JPT Nov., 1277

V

VALUATIONS: *See also* Evaluations
VAN POOLLEN, H. K. and JARGON, J. R.: *Unit Response Function From Varying-Rate Data*, JPT Aug., 965; discussion, JPT Dec., 1462
VAUGHN, R. D.: *Axial Laminar Flow of Non-Newtonian Fluids in Narrow Eccentric Annuli*, SPEJ Dec., 277
VELOCITY LOGGING: *See* Acoustic Velocity Logging
VENEZUELA: Eastern: two-spot combustion recovery project, (Tech. Art.) JPT Sept., 994
gas-oil relative permeability ratio correlation from laboratory data, JPT Sept., 1111
VERNAL DEPOSIT: *See* Utah
VISCOSITY: CO_2-crude oil systems: generalized correlation for predicting behavior, JPT Jan., 102
VOLATILE OILS: Raleigh field, Mississippi: efficient gas displacement project, (Tech. Art.) JPT May, 509
Smackover lime, Louisiana: comparison of predicted and actual performance, (Tech. Art.) JPT Nov., 1291
two-phase flow, SPEJ Mar., 37

W

WADDELL FIELD: *See* Texas
WADE, R. T., et al: *Production Logging—The Key to Optimum Well Performance*, (Tech. Art.) JPT Feb., 137
WAHL, H. A.: *Horizontal Fracture Design Based on Propped Fracture Area*, JPT June, 723
WAHL, H. A., et al: *Economics of Contained Nuclear Explosions Applied to Petroleum Reservoir Stimulation*, (Tech. Art.) JPT Oct., 1145
WALDORF, D. M.: *Effect of Steam on Permeabilities of Water-Sensitive Formations*, JPT Oct., 1219
WALKER, J. W., et al: *Oil Recovery by Imbibition Water Flooding in the Austin and Buda Formations*, (Tech. Art.) JPT Aug., 919
WALKER, T., et al: *A Proven Gas-Well Completion Technique for Higher Deliverability*, (Tech. Art.) JPT June, 647
WALL, W. B., et al: *A New Approach to Sonic Logging and Other Acoustic Measurements*, (Tech. Art.) JPT Mar., 282
WARREN, J. E. and ROOT, P. J.: *Discussion on Unsteady-State Behavior of Naturally Fractured Reservoirs*, SPEJ Mar., 64
WATER: hydration effect of montmorillonite on permeability to gas of water-sensitive reservoir rocks, JPT Oct., 1213
permeability of porous media, effect of foam, SPEJ Dec., 295
resistivities: improved method for calculating from chemical analyses, (Tech. Art.) JPT Dec., 1396
steam effect on permeabilities of water-sensitive formations, JPT Oct., 1219
treatment: for once-through steam generators, (Tech. Art.) Apr., 417
WATER CONING: correlation for predicting time, JPT May, 594
WATER DRIVE: average reservoir pressure from build-up surveys, JPT Aug., 955
edge: appraisal of Marsal's extrapolation methods for establishing oil recovery, JPT Jan., 107
laboratory models of oil reservoirs, SPEJ Mar., 25
limited: case history of Tensleep reservoir, Torchlight field, Wyoming, (Tech. Art.) JPT Oct., 1159
WATER FLOODING: carbonated: performance of Domes unit, first stage, (Tech. Art.) JPT Dec., 1379
controlled: Means Queen reservoir, Texas, (Tech. Art.) JPT Dec., 1385
corrosion control: applying instantaneous corrosion rate measurements, (Tech Art.) JPT Mar., 269
imbibition: oil recovery in Austin and Buda formations, (Tech. Art.) JPT Aug., 919
laboratory model study of single five-spot and single injection-well pilot, JPT Dec., 1454
performance prediction by graphical representation of porosity and permeability distribution, (Tech. Art.) JPT Nov., 1285
peripheral: case history of successful flank well curtailment program, (Tech. Art.) JPT Oct., 1153
permeability reduction through changes in pH and salinity, JPT Dec., 1449
predictions: analytical-numerical methods, SPEJ Sept., 247
reinjection of large volumes of produced water in secondary operations, (Tech. Art.) JPT July, 781
Sholem Alechem field, fault block "E": peripheral pattern performance, (Tech. Art.) JPT May, 537
Torchlight field, Wyoming: case history of Tensleep reservoir, (Tech. Art.) JPT Oct., 1159
Waddell field, Texas: pressure maintenance by bottom-water injection in massive San Andres dolomite reservoir, (Tech. Art.) JPT Aug., 883
WATER INFLUX: calculations: pressure interference effects within reservoirs and aquifers, JPT Apr., 471
effect on p/z cumulative gas production, (Tech. Art.) JPT Mar., 287
gas reservoirs: importance, JPT Nov., 1336
WATER INJECTION: *See also* Water Flooding
hot: numerical method for computing recovery of oil in a radial system, SPEJ June, 131
WATER TREATING: desorption of oxygen from water using natural gas for countercurrent stripping, (Tech. Art.) May, 515
WAX: refined: effect of petroleum residua on paraffin deposition from a heptane system, SPEJ Dec., 333
WEBER, A. W.: *The Dilemma of the Professional Engineers' Licensing Program*, (Tech. Art.) JPT July, 755
WEBSTER, K. R., et al: *A Continuous Multistage Fracturing Technique*, (Tech. Art.) JPT June, 619
WEETER, R. F.: *Desorption of Oxygen From Water Using Natural Gas for Countercurrent Stripping*, (Tech. Art.) JPT May, 515
WEIGLE, L. J.: *Executive Chairs for Engineers*, (Tech. Art.) JPT Mar., 254
WEINTRITT, D. J. and HUGHES, R. G.: *Factors Involved in High-Temperature Drilling Fluids*, JPT June, 707
WELLBORE: heat losses during flow of steam downward, JPT July, 845
WELL COMPLETION: *See also* Well Stimulation and Completion Practices
automatic log computation at wellsite, (Tech. Art.) JPT Jan., 11
data: use with depletion performance data in correlation for gas-condensate reservoir fluids, JPT July, 852
fracturing technique, continuous multistage, (Tech. Art.) JPT June, 619
gas: proven technique for higher deliverability, (Tech. Art.) JPT June, 647
inter-zonal flow: control and prevention, JPT May, 579
WELL LOGGING: automatic log computation at wellsite, (Tech. Art.) JPT Jan., 11
formation pressures: estimation from log-derived shale properties, JPT June, 717
nuclear log: borehole models, SPEJ June, 109
production logging, key to optimum well performance, (Tech. Art.) JPT Feb., 137
sonic: new approach and other acoustic measurements, (Tech. Art.) JPT Mar., 282
SP log: application to corrosion detection, (Tech. Art.) JPT Sept., 1029
spectral system, high-energy neutron-induced: field experience in measuring oil content, lithology and porosity, (Tech. Art.) JPT July, 801
standard letter symbols, JPT Dec., 1463
WELL PATTERN: five-spot; single: laboratory model study of single injection-well pilot waterflood, JPT Dec., 1454
two-spot: combustion recovery project, (Tech. Art.) JPT Sept., 994
waterflooding predictions, analytical-numerical method, SPEJ Sept., 247
WELL PERFORMANCE: *See also* Wellbore Mechanics

multiphase flowing bottom-hole pressures, practical application of calculated values, (Tech. Art.) JPT Dec., 1373
optimum: production logging, (Tech. Art.) JPT Feb., 137
pressure build-up: approximating well-to-fault distance from tests, (Tech. Art.) JPT July, 761
WELL STIMULATION: *see also* Acidizing, Formation Fracturing and Perforating
fluids: improvement by including a gas phase, (Tech. Art.) JPT July, 768
fracture, horizontal: design based on propped fracture area, JPT June, 723
fracturing technique, continuous multistage, (Tech. Art.) JPT June, 619
oil recovery: high-temperature thermal techniques, (Tech. Art.) JPT Sept., 1007
role of fluxing agents in thermal alteration of sandstones, JPT May, 585
thermal alteration of sandstones, JPT May, 589
treatment: formation, effect and prevention of asphaltene sludges, (Tech. Art.) JPT Sept., 1023
WELL WORKOVERS: *See* Workovers
WETTABILITY: relation to capillary action in porous media, SPEJ Sept. 259
WHITE, B., et al: *A Proven Gas-Well Completion Technique for Higher Deliverability*, (Tech. Art.) JPT June, 647
WHITE, P. D. and MOSS, J. T.: *High-Temperature Thermal Techniques for Stimulating Oil Recovery*, (Tech. Art.) JPT Sept., 1007
WHITEROCKS DEPOSIT: *See* Utah
WHITING, R. L.: *Continuing Education — The Key to Minimizing Obsolescence of Engineers*, (Tech. Art.) JPT Apr., 405
Dallas Completes Refresher Course, (Tech. Art.) JPT Oct. 1193
WILLINGHAM, R. W. and HOWALD, C. D.: *Case History of the Tensleep Reservoir, Torchlight Field, Wyoming*, (Tech. Art.) JPT Oct., 1159
WILMINGTON FIELD: *See* California
WILSON, R. S., et al: *The Fry In Situ Combustion Test—Field Operations and Performance*, JPT Mar., 343 and 348
WITHERSPOON, P. A. and MUELLER, T. D.: *Pressure Interference Effects Within Reservoirs and Aquifers*, JPT Apr., 471
WORK, H.: *Profession Gains New Prestige with Formation of National Academy of Engineering*, (Tech. Art.) JPT Jan., 63
WORKOVERS: continuous-string light unit, (Tech. Art.) JPT Jan., 39
WRIGHT, C. C.: *Applying Instantaneous Corrosion Rate Measurements to Waterflood Corrosion Control*, (Tech. Art.) JPT Mar., 269
WYOMING: Torchlight field: case history of Tensleep reservoir, (Tech. Art.) JPT Oct., 1159

Z

ZEITO, G. A.: *Interbedding of Shale Breaks and Reservoir Heterogeneities*, JPT Oct., 1223

Editor's Note: For economy of space, the abbreviation "SPEJ" is used in this index. The official abbreviation for the publication is "Soc. Pet. Eng. Jour." and we urge that it be used in references instead of this more abbreviated form.